



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Apo E [2E8] Standard Size Ab03940-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: 2E8

Alternative Name(s) of Target: ApoE; Apolipoprotein E

UniProt Accession Number of Target Protein: P02649

Published Application(s): Block, ELISA

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing BALB/c mice with human apoE3.

Specificity: This antibody binds the LDL binding site 'RLASHLRKLRKLLR' of the human apolipoprotein E. This antibody binds well with apoE3 and poorly with apoE2. Apolipoprotein E (apoE), a 299 amino acid lipoprotein, is a ligand for the low density lipoprotein receptor (LDLr). APO E is involved in the metabolism of fats and it is implicated in the Alzheimer's disease and cardiovascular diseases. It mainly functions in lipoprotein-mediated lipid transport between organs via the plasma and interstitial fluids.

Application Notes: This antibody was reported to binds to apoE and blocks apoE-mediated binding of lipoproteins to the low density lipoprotein receptor (LDLr). It was also reported that this antibody resembles LDLr in showing reduced reactivity against apoE (Arg158Cys). The reactivity of this antibody to various apoE variants was determined using ELISA (PMID: 8558079). This antibody partially blocked the binding of apoE isoforms to the immobilized VLDL receptor (PMID: 15863833).

Antibody First Published in: Raffai et al. Molecular characterization of two monoclonal antibodies specific for the LDL receptor-binding site of human apolipoprotein E. J Lipid Res. 1995 Sep;36(9):1905-18.

[PMID:8558079](#)

Note on publication: Describes the generation and characterization of antibodies against the LDL receptor-binding site of human apolipoprotein E.

Product Form

Size:

100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.