



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-SpA-E [10895] Standard Size Ab03972-23.0

Isotype and Format: Rabbit IgG, Kappa

Clone Number: 10895

Alternative Name(s) of Target: immunoglobulin binding protein of Staphylococcus aureus; IGBP of Staphylococcus aureus; Immunoglobulin G-binding protein A; IgG-binding protein A; Staphylococcal protein A

UniProt Accession Number of Target Protein: A0A0H3K686

Published Application(s): FC

Published Species Reactivity: Staphylococcus aureus

Immunogen: The original antibody was generated by panning a human library against SpA.

Specificity: This antibody is specific for SpA-E of S.aureus. S.aureus is a bacteria that causes MRSA in humans, but can also cause a wide range of other infections.

Application Notes: The affinity of the antibody to bind SpA-E was determined by a standard optical interferometry method ($KD < 5nM$). The binding of the antibody to SpA on live S. aureus TCH1516 (USA300 MRSA strain) was tested by flow cytometry (CN108064241A).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.