



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Islet beta cells autoantigen [H116] Standard Size Ab03984-6.1

Isotype and Format: Rat IgG1, Kappa

Clone Number: H116

Alternative Name(s) of Target: Unknown islet β-cells autoantigen; unknown intraislets autoantigen

UniProt Accession Number of Target Protein:

Published Application(s): IF

Published Species Reactivity: Rat, Human, Mouse

Immunogen: The original antibody was generated from a B lymphocyte islet-infiltrate of a diabetes-resistant but insulinitis-prone (8.3-NODxNOR) F1 mouse.

Specificity: This antibody is specific for an unknown autoantigen (still under investigation, as of 2016), expressed in islet beta cells (also referred to as intraislet).

Application Notes: This antibody recognizes antigenic determinants selectively expressed in islet β-cells of the pancreas, as determined by immunofluorescence (IF) staining; its staining pattern mimics the pattern obtained with anti-insulin antibodies. Furthermore, this antibody was shown to be cross-reactive with stomach and kidney cryosections of NOD.RAG-2^{-/-} mice (Carrillo et al., 2005; PMID: 15616012). This antibody was also used for tissue immunostaining of pancreatic cryosections from NOD.RAG-2^{-/-} mice (Carrascal et al., 2016; PMID: 26639224).

Antibody First Published in: Carrillo et al. Islet-infiltrating B-cells in nonobese diabetic mice predominantly target nervous system elements Diabetes. 2005 Jan;54(1):69-77. doi: 10.2337/diabetes.54.1.69 PMID:15616012

Note on publication: The original publication describes the generation of hybridoma cell lines of islet-infiltrating B-cells from mice with type 1 diabetes and diabetes-resistant mice, and the characterization of the tissue specificity of the antibodies produced by these hybridomas.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration:

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.