



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-TROP2 [hRS7 (Sacituzumab)] Bulk Size Ab03992-3.3-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted mouse IgG2b Fc Silent™ antibody, based on the original mouse IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2b, [Fc Silent™](#), Kappa

Clone Number: hRS7 (Sacituzumab)

Alternative Name(s) of Target: EGP-1; TACSTD2; GA733-1; M1S1; TROP-2; Tumor-associated calcium signal transducer 2; epithelial glycoprotein-1 antigen; Cell surface glycoprotein Trop-2; Membrane component chromosome 1 surface marker 1; Pancreatic carcinoma marker protein GA733-1; IMMU-132; RS7; RS7-3G11

UniProt Accession Number of Target Protein: P09758

Published Application(s): in vivo, therapeutic, FC, IHC

Published Species Reactivity: Human

Immunogen: The parental mouse antibody RS7-3G11 was generated by immunizing mice with crude membrane preparation of a human primary squamous cell carcinoma from the lung. The humanized version of this antibody called hRS7 was generated by grafting CDRs of the parental mouse antibody onto human framework regions.

Specificity: This antibody binds human TROP2 (EGP-1) protein, which functions in a variety of cell signaling pathways and was first elucidated as a transducer of an intracellular calcium signal. Trop-2 is involved in several cell signaling pathways, of which many are associated with tumorigenesis. This antigen is found in many epithelial cancers, including carcinomas of the lung, bladder, breast, cervix, ovary, stomach, prostate cancer, and therefore this antibody could be suitable for targeting these cancers.

Application Notes: The human IgG1 version of this antibody labelled with ¹³¹I-IMP-R4 was evaluated for the preclinical radioimmunotherapy (RAIT) of breast cancer. It was used for in vivo experiments in nude mice bearing subcutaneous MDA-MB-468 human breast cancer xenografts (PMID: 14999147). This antibody was used in the immunohistochemical staining of frozen sections of PC3 tumor xenografts. ¹¹¹In-hRS7 and ⁸⁹Zr-hRS7 labelled version of this antibody were used for the visualization of PC3 tumors in nude mice using immuno-PET and immuno-SPECT (PMID: 21865288). This antibody was also used in flow cytometric studies for detecting TROP-2 expressed on the surface of primary ovarian cancer cell lines. It was reported that primary ovarian carcinoma cell lines are highly sensitive to hRS7-mediated cytotoxicity in vitro (PMID:

21453957). The antibody drug conjugate hRS7-CL2A-SN-38 (ADC), was evaluated for its efficacy against human solid tumors and its tolerability was studied in mice and monkey. It was reported that the ADC provided specific anti-tumor effects against a variety of human solid tumor types and was well tolerated in monkeys (PMID: 21372224).

Antibody First Published in: Govindam et al. Preclinical therapy of breast cancer with a radioiodinated humanized anti-EGP-1 monoclonal antibody: advantage of a residualizing iodine radiolabel. Breast Cancer Res Treat. 2004 Mar;84(2):173-82. [PMID:14999147](#)

Note on publication: Describes the generation of humanized version of anti-EGP-1 antibody EGP-1 hRS7, labeled with ¹³¹I-IMP-R4 and evaluates its use in preclinical radioimmunotherapy (RAIT) of breast cancer.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.