



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CD133 [2C3] Bulk Size Ab04086-10.3-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human VHH format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, [Fc Silent™](#)

**Clone Number:** 2C3

**Alternative Name(s) of Target:** Prominin-1; Antigen AC133; Prominin-like protein 1

**UniProt Accession Number of Target Protein:** O43490

**Published Application(s):**

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by screening a natural nanobody phage display library and panning against human CD133.

**Specificity:** The antibody is specific for CD133. CD133 is a cell surface glycoprotein molecule mainly localized to the bulge of the cytoplasmic membrane and is involved in the organization of the membrane. CD133 is often used as a marker for tumor stem cell isolation and identification

**Application Notes:** The specificity of the antibody was confirmed by ELISA analysis. This antibody was used for detection of CD133 expressed on CHO cells by flow cytometry. The antibody human IgG1 Fc fusion protein was constructed and used for detection of CD133 expressed on HT29, HCT116 and Caco-2 cells. The antibody drug conjugate obtained by coupling 2C3-hFc with DM1, showed cytotoxic activity on HT29, HCT116 and Caco-2 cells (CN113480651B).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer

storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.