



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-ALCAM [035-234] Standard Size Ab04134-30.11

This is an scFv fragment with a His tag.

This is a reformatted human scFv antibody, based on the original human scFv format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: scFv fragment (His), ScFv

Clone Number: 035-234

Alternative Name(s) of Target: CD166; CD166 antigen; Activated leukocyte cell adhesion molecule

UniProt Accession Number of Target Protein: Q13740

Published Application(s): ADCC, FACS

Published Species Reactivity: Human

Immunogen: The original antibody was isolated by panning a phage display library against ALCAM.

Specificity: The antibody is specific for ALCAM. ALCAM (Activated leukocyte cell adhesion molecule) is a transmembrane protein, which has a molecular weight of 100 to 105 kDa and is composed of five extracellular Ig-like domains and the intracellular terminus having 32 amino acid, and short transmembrane region. It is an immunoglobulin superfamily molecule including ten N-glycosylation sites. ALCAM is one of the adhesive molecules, is present on the activated leukocyte and is identified as a ligand molecule to CD6 molecule (which functions as a signal receptor in T cells). ALCAM also functions as an adhesion factor in homophilic (ALCAM-ALCAM) or heterophilic (ALCAM-CD6) interaction.

Application Notes: The antibody exhibited ADCC activity on cancer cells expressing ALCAM, such as CW2 and NCI-H441 cells. The IgG1 format of the antibody could detect ALCAM in different cancer lines (040520IT, CHOK1SV, HepG2, HLF, Caki-1, CCFRC1, ACHN, 293T, PC14, SKOV3, BT474) by FACS (US9388249B2).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.