

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

#### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-RANK-L [3K7F5] Bulk Size, 1 mg, Ab04140-10.3-BT View online

## Anti-RANK-L [3K7F5] Bulk Size Ab04140-10.3-BT

This antibody was created using our proprietary Fc Silent<sup>™</sup> engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent<sup>™</sup> antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent<sup>™</sup>, Kappa

Clone Number: 3K7F5

**Alternative Name(s) of Target:** CD254; TRANCE; RANKL; PAE30; ODF; OPGL; Tumor necrosis factor ligand superfamily member 11; Osteoclast differentiation factor; Osteoprotegerin ligand; Receptor activator of nuclear factor kappa-B ligand; TNF-related activation-induced cytokine

**UniProt Accession Number of Target Protein:** 014788

Published Application(s): in vivo

Published Species Reactivity: Human

**Immunogen:** The original antibody was generated by panning a phage display library against human sRANKL.

**Specificity:** The antibody is specific for human-RANK-L. RANKL is a tumor necrosis factor related protein that binds to, and activates, the TNF receptor related protein Receptor Activator of NF-kB (RANK). RANKL acts as the key cytokine that regulates osteoclast differentiation and activation during normal bone remodeling and during disease

**Application Notes:** The affinity of the original format of the antibody is 0.17x 10-12 nM, as measured by PAE technology. RAW264.7, a murine macrophage cell line that can be induced by RANKL to differentiate into osteoclast-like cells, was used in a TRAP test. In the TRAP test, the original antibody or the Fab fragment were able to neutralize the stimulating effect of RANKL on osteoclast formation from a RAW 264.7 culture. Further, the addition of the original format of the antibody or the Fab fragment inhibited osteoclast differentiation of the RAW cell in a dose-dependent manner. The affinity of the original format and the Fab fragment of the antibody was measured by the Scatchard method (affinity = 8.7 and 6.5 pM). The original antibody and the Fab fragment could significantly increase the bone densities and bone calcium content in a dose-dependent manner, in in vivo experiments (WO2011116527A1).

Antibody First Published in: PMID:

Note on publication:

### **Product Form**

Size: 1 mg Purified antibody in bulk size. Purification: Protein A affinity purified Supplied In: PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.