



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD26 [ZHB-2cF9] Standard Size Ab04149-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human scFv format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: ZHB-2cF9

Alternative Name(s) of Target: TP103; ADABP; ADCP-2; Dipeptidyl peptidase 4; EC:3.4.14.5; Adenosine deaminase complexing protein 2; Dipeptidyl peptidase IV; DPP IV; T-cell activation antigen CD26

UniProt Accession Number of Target Protein: P27487

Published Application(s): inhibition, WB, ELISA

Published Species Reactivity: Human

Immunogen: The original antibody was obtained from a human single-chain antibody phage display library by solid-phase affinity screening of CD26 extracellular region protein.

Specificity: The antibody is specific for the extracellular domain of CD26. CD26 is a cell surface glycoprotein receptor involved in the costimulatory signal essential for T-cell receptor (TCR)-mediated T-cell activation.

Application Notes: The specificity of the antibody was confirmed by ELISA analysis. The original format of the antibody could specifically bind to the CD26 extracellular domain protein. The antibody could detect CD26 expressed on the surface of human mesothelioma cells NCI-H2452 by immunofluorescence analysis. The antibody was able to inhibit the binding of human mesothelioma cell NCI-H2452 expressing CD26 to ECM. Further, the antibody could inhibit the proliferation of mesothelioma cells and colon cancer cells with high expression of CD26 (WO2015089881A1).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In:

PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.