



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-HER1 [048-006] Standard Size Ab04150-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human scFv format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Lambda

**Clone Number:** 048-006

**Alternative Name(s) of Target:** Epidermal growth factor receptor; EC:2.7.10.1; Proto-oncogene c-ErbB-1; Receptor tyrosine-protein kinase erbB-1

**UniProt Accession Number of Target Protein:** P00533

**Published Application(s):** ADCC, in vivo, SPR, WB

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was isolated by panning a phage display library against HER1.

**Specificity:** The antibody is specific for HER1. HER1 is a receptor tyrosine kinase binding ligands of the EGF family. It activates several signaling cascades to convert extracellular cues into appropriate cellular responses.

**Application Notes:** The antibody was able to inhibit the phosphorylation signal of HER1 in three kinds of cells (renal cell carcinoma (CCF-RC1, Caki-1) and epidermoid cancer (A431)) in a concentration-dependent manner, as shown by western blot analysis. The antibody could inhibit the binding to EGF, using A431 cells. The binding affinity of the original format of the antibody to HER1 was measured by surface plasmon resonance ( $K_d = 0.48$  pM). The IgG1 format of the antibody exhibited ADCC activity in the cell line in which HER1 is expressed (CCF-RC-1, NCI-H1373, HT-29, ACHN and A-431 cell lines). The IgG1 format of the antibody was used in in vivo antitumor experiments. Human lung cancer cells H1373 cells or epidermoid tumor A-431 were transplanted into a mouse so as to produce a tumor and, the antibody was administrated. The antibody significantly reduced the tumor volume compared to the control group. The effect was comparable to ERBITUX when human lung cells H1373 were used (US9388249B2).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

## Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.