



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CCR7 [6B4.1] Standard Size Ab04229-23.0

**Isotype and Format:** Rabbit IgG, Lambda

**Clone Number:** 6B4.1

**Alternative Name(s) of Target:** CD197; BLR2; CDw197; C-C CKR-7; CC-CKR-7; CCR-7; EB11; C-C chemokine receptor type 7; Epstein-Barr virus-induced G-protein coupled receptor 1; EBV-induced G-protein coupled receptor 1; MIP-3 beta receptor

**UniProt Accession Number of Target Protein:** P32248

**Published Application(s):** inhibition, ELISA

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was generated by immunizing mice with cells expressing full length CCR7.

**Specificity:** The antibody is specific for CCR7.

**Application Notes:** The specificity of the original format of the antibody was confirmed by ELISA analysis. The antibody could inhibit CCR7 (US10526411B2).

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

### Product Form

**Size:** 100 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.