



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CD62P [CBL 08 6850] Bulk Size Ab04328-1.1-BT

**Isotype and Format:** Mouse IgG1, Kappa

**Clone Number:** CBL 08 6850

**Alternative Name(s) of Target:** AK-6; SELP; GMP-140; LECAM3; PADGEM; P-selectin; Granule membrane protein 140; CD62 antigen-like family member P; Leukocyte-endothelial cell adhesion molecule 3; Platelet activation dependent granule-external membrane protein

**UniProt Accession Number of Target Protein:** P16109

**Published Application(s):** IP, WB, IHC

**Published Species Reactivity:** Human

**Immunogen:** The original antibody was raised by immunizing BALB/c mice with an ~100-200-kDa human platelet glycoprotein fraction prepared by gel filtration of concanavalin A-purified platelet membrane glycoproteins.

**Specificity:** This antibody is specific for CD62P.

**Application Notes:** This antibody was used for immunohistochemistry on normal dermal endothelium (Fleming et al., 2008; PMID:18197262, Foubert et al., 2015; PMID:24069908), and on nasal polyp tissue and associated inferior turbinate tissue (Könnecke et al., 2014; PMID:24995349). The original antibody was used for immunoprecipitation on platelet membrane glycoproteins. This antibody was also used for a western blot on cultured human umbilical vein endothelial cells (Skinner et al., 1989; PMID:2480118). This antibody was used for immunofluorescence on human umbilical vein endothelial cells (Mourik et al., 2013; PMID:24010820).

**Antibody First Published in:** Skinner et al. Characterization of human platelet GMP-140 as a heparin-binding protein *Biochem Biophys Res Commun.* 1989 Nov 15;164(3):1373-9. [PMID:2480118](#)

**Note on publication:** The original paper studies the interaction of Human platelet GMP-140 and heparin.

### Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:**

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.