



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD62P [CBL 08 6850] Standard Size Ab04328-23.0

Isotype and Format: Rabbit IgG, Kappa

Clone Number: CBL 08 6850

Alternative Name(s) of Target: AK-6; SELP; GMP-140; LECAM3; PADGEM; P-selectin; Granule membrane protein 140; CD62 antigen-like family member P; Leukocyte-endothelial cell adhesion molecule 3; Platelet activation dependent granule-external membrane protein

UniProt Accession Number of Target Protein: P16109

Published Application(s): IP, WB, IHC

Published Species Reactivity: Human

Immunogen: The original antibody was raised by immunizing BALB/c mice with an ~100-200-kDa human platelet glycoprotein fraction prepared by gel filtration of concanavalin A-purified platelet membrane glycoproteins.

Specificity: This antibody is specific for CD62P.

Application Notes: This antibody was used for immunohistochemistry on normal dermal endothelium (Fleming et al., 2008; PMID:18197262, Foubert et al., 2015; PMID:24069908), and on nasal polyp tissue and associated inferior turbinate tissue (Könnecke et al., 2014; PMID:24995349). The original antibody was used for immunoprecipitation on platelet membrane glycoproteins. This antibody was also used for a western blot on cultured human umbilical vein endothelial cells (Skinner et al., 1989; PMID:2480118). This antibody was used for immunofluorescence on human umbilical vein endothelial cells (Mourik et al., 2013; PMID:24010820).

Antibody First Published in: Skinner et al. Characterization of human platelet GMP-140 as a heparin-binding protein *Biochem Biophys Res Commun.* 1989 Nov 15;164(3):1373-9. [PMID:2480118](#)

Note on publication: The original paper studies the interaction of Human platelet GMP-140 and heparin.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.