



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-NA, Neuraminidase [NA-45] Bulk Size Ab04395-10.29-BT

This is a Fab fragment with His tag.

**Isotype and Format:** Human Fab fragment, His-Tagged, Kappa

**Clone Number:** NA-45

**Alternative Name(s) of Target:** EC:3.2.1.18

**UniProt Accession Number of Target Protein:** V9NZ28; R4NFR6; A0A2D0Z4C5

**Published Application(s):** crystallography, inhibition, ELISA

**Published Species Reactivity:** Influenza A virus

**Immunogen:** The original antibody was raised by taking B cells from influenza A survivors and vaccinees and immortalizing these.

**Specificity:** This antibody is specific for the active site of neuraminidase from H9 variants of influenza A.

**Application Notes:** The structure of the original version of this antibody was determined using cryo-EM and x-ray crystallography (Zhu et al., 2020; PMID:31757767, Gilchuk et al., 2019; PMID:31757769). This antibody was used for an ELISA on the NA protein of influenza A. The binding strength of this antibody to neuraminidase of influenza A was determined using surface plasmon resonance. This antibody was used for an egress inhibition assay on MDCK cells infected with influenza A. Here it showed its ability to inhibit egress at low concentrations. This antibody was used for a HDX-MS study. The N9 antigen showed hydrogen-deuterium exchange in the presence of this antibody (Gilchuk et al., 2019; PMID:31757769). This antibody was used for a fetuin-based ELLA NA activity assay. Here it showed inhibition of NA (Zhu et al., 2020; PMID:31757767).

**Antibody First Published in:** Gilchuk et al. Influenza H7N9 Virus Neuraminidase-Specific Human Monoclonal Antibodies Inhibit Viral Egress and Protect from Lethal Influenza Infection in Mice Cell Host Microbe. 2019 Dec 11;26(6):715-728.e8 [PMID:31757769](#)

**Note on publication:** The original paper isolated 35 human monoclonal antibodies (mAbs) from two H7N9 survivors and two vaccinees.

### Product Form

**Size:** 500 µg Purified antibody in bulk size.

**Purification:** Purified by Immobilized Metal Affinity Chromatography

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer

storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.