



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Cap, Capsid protein [3A5] Standard Size Ab04396-2.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted mouse IgG2a Fc Silent™ antibody, based on the original mouse IgG2a format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2a, [Fc Silent™](#), Kappa

Clone Number: 3A5

Alternative Name(s) of Target: ORF2

UniProt Accession Number of Target Protein: O56129; F5A4Z4

Published Application(s): in vitro, neutralization, ELISA, IF, IHC

Published Species Reactivity: Porcine circovirus 2

Immunogen: The original antibody was raised by immunizing a BALB/c mouse with a recombinant capsid protein of PCV2 expressed by a baculovirus vector

Specificity: This antibody is specific for the epitopes found at the topmost edges around the 5-fold axes of the PCV2, Cap with each epitope covering 18 amino acids from two adjacent Cap proteins.

Application Notes: The original antibody was used for an ELISA on PCV2-positive serum (Huang et al., 2011; PMID:20923690), on PCV2a/LG-infected PK15 cells cultures (Huang et al., 2019; PMID:30863876), and on purified PCV2 (Bian et al., 2021; PMID:34959519). Further this antibody was used for immunohistochemistry on inguinal lymph nodes of PCV2-inoculated pigs (Huang et al., 2016; PMID:27020283) (Huang et al., 2019; PMID:30863876). This antibody was used for a neutralization assay on PCV2a/LG. PCV2a/LG was incubated with this antibody after which the mixture was added to PK15 cells (Huang et al., 2020; PMID:32075932) (Yu et al., 2022; PMID:35945364). This antibody was also used for immunofluorescence to test the absorption of PCV2 to PK15 cells. The structure of the original antibody was determined using cryo-EM (Huang et al., 2020; PMID:32075932). This antibody was used for purification of proteins from PCV2a/LG (Bian et al., 2021; PMID:34959519)

Antibody First Published in: Huang et al. Development of a blocking ELISA for detection of serum neutralizing antibodies against porcine circovirus type 2 *J Virol Methods*. 2011 Jan;171(1):26-33.

[PMID:20923690](#)

Note on publication: The original paper developed a monoclonal antibody (Mab)-based blocking ELISA for the detection of serum neutralizing antibodies to porcine circovirus type 2 (PCV2).

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.