

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





# Anti-Genome polyprotein [HC33.8] Bulk Size Ab04414-10.3-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent<sup>™</sup>, Lambda

Clone Number: HC33.8

**Alternative Name(s) of Target:** Envelope glycoprotein E2 **UniProt Accession Number of Target Protein:** P27958

**Published Application(s):** neutralization, ELISA **Published Species Reactivity:** Hepatitis C virus

**Immunogen:** The original antibody was raised by immunizing a transgenic mouse with HCV glycoprotein.

**Specificity:** This antibody is specific for a region in aa 412 to 423 of the envelope glycoprotein E2. **Application Notes:** The original antibody was used for an ELISA on wild-type and ΔHVR1 HCV E2 glycoproteins (Keck et al., 2016; PMID:26739044). The original antibody was used for a neutralization assay on Huh7.5 cells mixed with HCVcc isolates (Keck et al., 2013; PMID:23097455), and on Hep3B target cells infected with HCVpp (Bailey et al., 2014; PMID:25500884).

**Antibody First Published in:** Keck et al. Cooperativity in virus neutralization by human monoclonal antibodies to two adjacent regions located at the amino terminus of hepatitis C virus E2 glycoprotein J Virol. 2013 Jan;87(1):37-51. PMID:23097455

**Note on publication:** The original paper defines the interplay between antibodies specific for aa 434 to 446 and for aa 412 to 423, human monoclonal antibodies (HMAbs) to aa 412 to 423 were isolated, designated HC33-related HMAbs (HC33 HMAbs), and their interactions with other HMAbs to aa 434 to 446 were characterized.

## **Product Form**

Size: 1 mg Purified antibody in bulk size.

**Purification:** 

Protein A affinity purified **Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.