

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



## Anti-Envelope glycoprotein gp160 [0.5beta] Standard Size Ab04428-23.0

Isotype and Format: Rabbit IgG, Kappa

Clone Number: 0.5beta

Alternative Name(s) of Target: env; Env polyprotein; Envelope glycoprotein gp160

UniProt Accession Number of Target Protein: P03377

Published Application(s): neutralization, WB, ELISA

**Published Species Reactivity:** Human immunodeficiency virus type 1 group M subtype B **Immunogen:** The original antibody was raised by immunizing a mouse with the glycoprotein fraction prepared from H9/HTLV IIIB cell extracts.

**Specificity:** This antibody is specific forth V3 loop of the envelope glycoprotein gp160.

**Application Notes:** The original version of this antibody was used for an ELISA on a synthetic 20 amino acid peptide (308-327) based on the sequence of the RP135 region of gp120 from HIV-IIIB (Maeda et al., 1991; PMID:1873503). This antibody was used for a western blot on HTLV-IIIB antigens (Matsushita et al., 1988; PMID:2452899), and on Purified HTLV-IIIB (Skinner et al., 1988; PMID:2456088). The NMR structure of this antibody was determined (Tugarinov et al., 2000; PMID:10801487). The ability of this antibody to neutralize a cell-free HIV infection of H9 cells was assayed. It was indeed able to prevent this infection (Matsushita et al., 1988; PMID:2452899). This antibody was also able to neutralize the HIV infection of AA-5 cells (Skinner et al., 1988; PMID:2456088). This antibody was able to prevent HIV infection in chimpanzees in vivo (Emini et al., 1992; PMID:1741059).

**Antibody First Published in:** Matsushita et al. Characterization of a Human Immunodeficiency Virus Neutralizing Monoclonal Antibody and Mapping of the Neutralizing Epitope J Virol. 1988 Jun;62(6):2107-14. PMID:2452899

**Note on publication:** The original paper produces a monoclonal antibody to the exterior envelope glycoprotein (gp120) of the human T-cell lymphotropic virus (HTLV)-IIIB isolate of the human immunodeficiency virus (HIV).

### **Product Form**

**Size:** 100 μg Purified antibody. **Purification:** Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

### 20°C. Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.