

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





# Anti-Glycoprotein [523-11] Bulk Size Ab04480-30.11-BT

This is an scFv fragment with a His tag.

This is a reformatted mouse scFv antibody, based on the original mouse scFv format, created for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** scFv fragment (His), ScFv

Clone Number: 523-11

Alternative Name(s) of Target: G; RABV-G

UniProt Accession Number of Target Protein: D8VEC1; P19462; O92284

Published Application(s): Blocking, crystallography, in vivo, neutralization, ELISA

Published Species Reactivity: Lyssavirus rabies

Immunogen: The original antibody was raised by immunizing a BALB/c mouse with several strains of

rabies virus.

**Specificity:** This antibody is specific for two discontinuous epitope regions in antigenic site III.

**Application Notes:** The original antibody was used for an in vivo neutralization assay. In short mice were treated with this antibody either pre infection and hamsters were treated post infection. With higher doses all mice survived and all hamster receiving the antibody within 24 hours after infection survived (Dietzschold et al., 1990; PMID:2335829, Dietzschold et al., 1992; PMID:1496020, Schumacher et al., 1989; PMID:2760222). The antibody was used for an ELISA on rabies virus glycoprotein. The structure of this antibody was determined using x-ray crystallography. Further this antibody showed the ability to block syncytia formation. The antibody was also used for an in vitro neutralization assay on rabies virus and BHK-21 cells (Yang et al., 2020; PMID:32004500), and on rabies virus and NA cells (Dietzschold et al., 1992; PMID:1496020). This antibody was used for immunofluorescence on Adrab.gp recombinant virus expressing the rabies G protein (Xiang et al., 1996; PMID:8623532).

**Antibody First Published in:** Schumacher et al. Use of Mouse Anti-Rabies Monoclonal Antibodies in Postexposure Treatment of Rabies J Clin Invest. 1989 Sep;84(3):971-5. PMID:2760222

**Note on publication:** The original paper discusses the potential usefulness of a MAb cocktail for the postexposure treatment of human rabies.

### **Product Form**

#### Size:

500 µg Purified antibody in bulk size.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.