



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MRE11A FISH Probe

Catalog # : FA0294

規格 : [200 uL]

List All

Specification

Product Description:	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology)
Supplied Product:	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction:	Store at 4°C in the dark.
Origin:	Human
Source:	Genomic DNA
Notice:	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status:	For research use only (RUO)

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [4361](#)

Gene Name: MRE11A

Gene Alias: ATLD,HNGS1,MRE11,MRE11B

Gene Description: MRE11 meiotic recombination 11 homolog A (S. cerevisiae)

Omim ID: [600814](#), [604391](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a nuclear protein involved in homologous recombination, telomere length maintenance, and DNA double-strand break repair. By itself, the protein has 3' to 5' exonuclease activity and endonuclease activity. The protein forms a complex with the RAD50 homolog; this complex is required for nonhomologous joining of DNA ends and possesses increased single-stranded DNA endonuclease and 3' to 5' exonuclease activities. In conjunction with a DNA ligase, this protein promotes the joining of noncomplementary ends in vitro using short homologies near the ends of the DNA fragments. This gene has a pseudogene on chromosome 3. Alternative splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq]

Other AT-like disease,DNA recombination and repair protein,double-strand
Designations: break repair protein MRE11A,endo/exonuclease Mre11,meiotic recombination 11 homolog A

Gene Pathway

[Homologous recombination](#) [Non-homologous end-joining](#)

Related Disease

[Adenocarcinoma](#) [Ataxia Telangiectasia](#) [Ataxia telangiectasia](#) [Brain Neoplasms](#)
[Breast cancer](#) [Breast Neoplasms](#) [Carcinoma, Ductal](#) [DNA Damage](#)
[Genetic Predisposition to Disease](#) [Glioma](#) [Hematologic Diseases](#) [Hodgkin Disease](#)
[Kidney Failure, Chronic](#) [Lymphoma, Non-Hodgkin](#) [Lymphoproliferative Disorders](#)
[Multiple Sclerosis](#) [Neoplasms, Glandular and Epithelial](#) [Occupational Diseases](#)
[Ovarian cancer](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.