



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## KRT8 FISH Probe

Catalog # : FA0307

規格 : [ 200 uL ]

List All

### Specification

<b>Product Description:</b>	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. ( <a href="#">Technology</a> )
<b>Supplied Product:</b>	DAPI Counterstain (1500 ng/mL ) 250 uL
<b>Storage Instruction:</b>	Store at 4°C in the dark.
<b>Origin:</b>	Human
<b>Source:</b>	Genomic DNA
<b>Notice:</b>	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <a href="#">KA2375</a> or <a href="#">KA2691</a> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
<b>Regulation Status:</b>	For research use only (RUO)

### Application Image

Fluorescent In Situ Hybridization (Cell)

### Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [3856](#)

**Gene Name:** KRT8

**Gene Alias:** CARD2,CK8,CYK8,K2C8,K8,KO

**Gene Description:** keratin 8

**Omim ID:** [148060](#), [215600](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** This gene is a member of the type II keratin family clustered on the long arm of chromosome 12. Type I and type II keratins heteropolymerize to form intermediate-sized filaments in the cytoplasm of epithelial cells. The product of this gene typically dimerizes with keratin 18 to form an intermediate filament in simple single-layered epithelial cells. This protein plays a role in maintaining cellular structural integrity and also functions in signal transduction and cellular differentiation. Mutations in this gene cause cryptogenic cirrhosis. [provided by RefSeq]

**Other Designations:** cytokeratin 8,keratin, type II cytoskeletal 8

## Related Disease

---

[Alzheimer Disease](#) [Alzheimer disease](#) [Cerebral Amyloid Angiopathy](#) [Chronic Disease](#)  
[Disease Progression](#) [Drug-Induced Liver Injury](#) [Genetic Predisposition to Disease](#)  
[Hepatitis C, Chronic](#) [Inflammatory Bowel Diseases](#) [Liver Cirrhosis](#) [Liver Cirrhosis, Biliary](#)  
[Liver Failure](#) [Liver Failure, Acute](#) [Neuroblastoma](#) [Pancreatitis](#) [Pancreatitis, Alcoholic](#)

---

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.