



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TFDP1 FISH Probe

Catalog # : FA0330

規格 : [200 uL]

List All

Specification

| | |
|-----------------------------|---|
| Product Description: | Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology) |
| Supplied Product: | DAPI Counterstain (1500 ng/mL) 250 uL |
| Storage Instruction: | Store at 4°C in the dark. |
| Origin: | Human |
| Source: | Genomic DNA |
| Notice: | We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections. |
| Regulation Status: | For research use only (RUO) |

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7027](#)

Gene Name: TFDP1

Gene Alias: DP1,DRTF1,Dp-1

Gene Description: transcription factor Dp-1

Omim ID: [189902](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of a family of transcription factors that heterodimerize with E2F proteins to enhance their DNA-binding activity and promote transcription from E2F target genes. The encoded protein functions as part of this complex to control the transcriptional activity of numerous genes involved in cell cycle progression from G1 to S phase. Alternative splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 1, 15, and X

Other Designations: DRTF1-polypeptide 1,E2F dimerization partner 1,E2F-related transcription factor,OTTHUMP00000018765

Gene Pathway

[Cell cycle](#) [TGF-beta signaling pathway](#)

Related Disease

[Genetic Predisposition to Disease](#) [Ovarian Neoplasms](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.