



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GABRB3 FISH Probe

Catalog # : FA0343

規格 : [200 uL]

List All

Specification

Product Description:	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology)
Supplied Product:	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction:	Store at 4°C in the dark.
Origin:	Human
Source:	Genomic DNA
Notice:	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status:	For research use only (RUO)

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2562](#)

Gene Name: GABRB3

Gene Alias: ECA5,MGC9051

Gene Description: gamma-aminobutyric acid (GABA) A receptor, beta 3

Omim ID: [137192](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the ligand-gated ionic channel family. The encoded protein is one of at least 13 distinct subunits of a multisubunit chloride channel that serves as the receptor for gamma-aminobutyric acid, the major inhibitory transmitter of the nervous system. This gene is located on the long arm of chromosome 15 in a cluster with two genes encoding related subunits of the family. Mutations in this gene may be associated with the pathogenesis of Angelman syndrome, Prader-Willi syndrome, and autism. Alternatively spliced transcript variants encoding isoforms with distinct signal peptides have been described. [provided by RefSeq]

Other GABA(A) receptor beta-3 subunit,GABA-A receptor beta-3

Designations: subunit,GABA-alpha receptor beta-2 subunit,GABAA receptor beta-3 subunit

Gene Pathway

[Neuroactive ligand-receptor interaction](#)

Related Disease

[Alcoholism](#) [Anorexia Nervosa](#) [Anxiety Disorders](#) [Asperger Syndrome](#)
[Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#) [Bipolar Disorder](#) [Bulimia](#)
[Cleft Lip](#) [Cleft Palate](#) [Combat Disorders](#) [Depressive Disorder](#) [Disease Models, Animal](#)
[Dystonic Disorders](#) [Epilepsy](#) [Epilepsy, Absence](#) [Epilepsy, Generalized](#)
[Genetic Predisposition to Disease](#) [Hallucinations](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.