



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## BLM FISH Probe

Catalog # : FA0351

規格 : [ 200 uL ]

List All

### Specification

<b>Product Description:</b>	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. ( <a href="#">Technology</a> )
<b>Supplied Product:</b>	DAPI Counterstain (1500 ng/mL ) 250 uL
<b>Storage Instruction:</b>	Store at 4°C in the dark.
<b>Origin:</b>	Human
<b>Source:</b>	Genomic DNA
<b>Notice:</b>	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <a href="#">KA2375</a> or <a href="#">KA2691</a> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
<b>Regulation Status:</b>	For research use only (RUO)

### Application Image

Fluorescent In Situ Hybridization (Cell)

### Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [641](#)

**Gene Name:** BLM

**Gene Alias:** BS,MGC126616,MGC131618,MGC131620,RECQ2,RECQL2,RECQL3

**Gene Description:** Bloom syndrome

**Omim ID:** [210900](#), [604610](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** The Bloom syndrome gene product is related to the RecQ subset of DExH box-containing DNA helicases and has both DNA-stimulated ATPase and ATP-dependent DNA helicase activities. Mutations causing Bloom syndrome delete or alter helicase motifs and may disable the 3'-5' helicase activity. The normal protein may act to suppress inappropriate recombination. [provided by RefSeq]

**Other Designations:** Bloom syndrome protein

### Gene Pathway

[Homologous recombination](#)

### **Related Disease**

---

[Adenocarcinoma](#) [Bloom Syndrome](#) [Breast cancer](#) [Breast Neoplasms](#)  
[Cardiovascular Diseases](#) [Colorectal Neoplasms](#) [Cystic fibrosis](#) [Diabetes Mellitus, Type 2](#)  
[Edema](#) [Fanconi Anemia](#) [Gaucher disease](#) [Genetic Diseases, Inborn](#)  
[Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [Hodgkin Disease](#)  
[Kidney Failure, Chronic](#) [Lung Neoplasms](#) [Lymphoma, Non-Hodgkin](#)  
[Lymphoproliferative Disorders](#)

**... see more**

---

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.