



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BIRC5 FISH Probe

Catalog # : FA0399

規格 : [200 uL]

List All

Specification

Product Description:	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology)
Supplied Product:	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction:	Store at 4°C in the dark.
Origin:	Human
Source:	Genomic DNA
Notice:	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status:	For research use only (RUO)

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [332](#)

Gene Name: BIRC5

Gene Alias: API4,EPR-1

Gene Description: baculoviral IAP repeat-containing 5

Omim ID: [603352](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. Gene expression is high during fetal development and in most tumors yet low in adult tissues. Antisense transcripts are involved in the regulation of this gene's expression. At least four transcript variants encoding distinct isoforms have been found for this gene, but the full-length natures of only three of them have been determined. [provided by RefSeq]

Other apoptosis inhibitor 4, baculoviral IAP repeat-containing protein 5, survivin
Designations: variant 3 alpha

Gene Pathway

[Colorectal cancer](#) [Pathways in cancer](#)

Related Disease

[Adenocarcinoma](#) [Carcinoma](#), [Adenosquamous Carcinoma](#), [Squamous Cell Carcinoma](#), [Transitional Cell Cell Transformation](#), [Neoplastic Colorectal Neoplasms](#) [Esophageal Neoplasms](#) [Genetic Predisposition to Disease](#) [Head and Neck Neoplasms](#) [Kidney Failure](#), [Chronic Leukemia](#), [chronic myeloid Leukemia](#), [Myelogenous](#), [Chronic](#), [BCR-ABL Positive Leukemia](#), [Myeloid](#), [Acute Lung Neoplasms](#) [Lymphatic Metastasis Neoplasm Recurrence](#), [Local Neoplasms](#), [Second Primary Neovascularization](#), [Pathologic Pancreatic Neoplasms](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.