



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MASP1(Texas Red)/CEN3q(FITC) FISH Probe

Catalog # : FA0513

規格 : [200 uL]

List All

Specification

| | |
|-----------------------------|---|
| Product Description: | Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology) |
| Supplied Product: | DAPI Counterstain (1500 ng/mL) 250 uL |
| Storage Instruction: | Store at 4°C in the dark. |
| Origin: | Human |
| Source: | Genomic DNA |
| Notice: | We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections. |
| Regulation Status: | For research use only (RUO) |

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

| | |
|--------------------------|---|
| Entrez GeneID: | 5648 |
| Gene Name: | MASP1 |
| Gene Alias: | CRARF,CRARF1,DKFZp686i01199,FLJ26383,MASP,MGC126283,MGC126284,PRSS5,RaRF |
| Gene Description: | mannan-binding lectin serine peptidase 1 (C4/C2 activating component of Ra-reactive factor) |
| Omim ID: | 600521 |
| Gene Ontology: | Hyperlink |

Gene Summary: The Ra-reactive factor (RARF) is a complement-dependent bactericidal factor that binds to the Ra and R2 polysaccharides expressed by certain enterobacteria. Alternate splicing of this gene results in multiple transcript variants encoding two RARF components that are involved in the mannan-binding lectin (MBL) pathway of complement activation. Two of the isoforms are cleaved into two chains which form a heterodimer linked by a disulfide bond. The encoded proteins are members of the trypsin family of peptidases. [provided by RefSeq]

Other Designations: Ra-reactive factor serine protease p100,manan-binding lectin serine protease-1,mannan-binding lectin serine protease 1,mannan-binding

lectin serine protease 1 (C4/C2 activating component of Ra-reactive factor),mannan-binding lectin serine protease 1, isof

Gene Pathway

[Complement and coagulation cascades](#)

Related Disease

[Birth Weight](#) [Genetic Predisposition to Disease](#) [Glioblastoma](#) [Glioma](#) [Inflammation](#)
[Leukemia](#) [Leukemia, Myeloid, Acute](#) [Lung Neoplasms](#) [Lupus Erythematosus, Systemic](#)
[Macular Degeneration](#) [Meningeal Neoplasms](#) [Meningioma](#)
[Pulmonary Disease, Chronic Obstructive](#) [Sepsis Syndrome](#) [Urinary Bladder Neoplasms](#)
[Werner syndrome](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.