



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ESR(Texas Red)/CEN6p(FITC) FISH Probe

Catalog # : FA0533

規格 : [200 uL]

List All

Specification

Product Description:	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology)
Supplied Product:	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction:	Store at 4°C in the dark.
Origin:	Human
Source:	Genomic DNA
Notice:	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status:	For research use only (RUO)

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2099](#)

Gene Name: ESR1

Gene Alias: DKFZp686N23123,ER,ESR,ESRA,Era,NR3A1

Gene Description: estrogen receptor 1

Omim ID: [133430](#), [157300](#), [608446](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes an estrogen receptor, a ligand-activated transcription factor composed of several domains important for hormone binding, DNA binding, and activation of transcription. The protein localizes to the nucleus where it may form a homodimer or a heterodimer with estrogen receptor 2. Estrogen and its receptors are essential for sexual development and reproductive function, but also play a role in other tissues such as bone. Estrogen receptors are also involved in pathological processes including breast cancer, endometrial cancer, and osteoporosis. Alternative splicing results in several transcript variants, which differ in their 5' UTRs and use different promoters. [provided by RefSeq]

Other OTTHUMP00000017718,OTTHUMP00000017719,estrogen receptor
Designations: alpha

Related Disease

[Abortion](#), [Habitual Abortion](#), [Spontaneous Acute Disease](#) [Adenocarcinoma](#)
[Alveolar Bone Loss](#) [Alzheimer Disease](#) [Alzheimer disease](#) [Amphetamine-Related Disorders](#)
[Anorexia Nervosa](#) [Antisocial Personality Disorder](#) [Aortic Aneurysm](#), [Abdominal](#)
[Arteriosclerosis](#) [Arthritis](#), [Juvenile Rheumatoid](#) [Asperger Syndrome](#) [Asthma](#) [Asthma](#)
[Atherosclerosis](#) [Atherosclerosis](#) [Atrial Fibrillation](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.