



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PTPRD1(Texas Red)/CEN9q(FITC) FISH Probe

Catalog # : FA0545

規格 : [200 uL]

List All

Specification

Product Description:	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. (Technology)
Supplied Product:	DAPI Counterstain (1500 ng/mL) 250 uL
Storage Instruction:	Store at 4°C in the dark.
Origin:	Human
Source:	Genomic DNA
Notice:	We strongly recommend the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status:	For research use only (RUO)

Application Image

Fluorescent In Situ Hybridization (Cell)

Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [5789](#)

Gene Name: PTPRD

Gene Alias: HPTP,HPTP-DELTA,HPTPD,MGC119750,MGC119751,MGC119752,MGC119753,PTPD,R-PTP-DELTA

Gene Description: protein tyrosine phosphatase, receptor type, D

Omim ID: [601598](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains an extracellular region, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, thus represents a receptor-type PTP. The extracellular region of this protein is composed of three Ig-like and eight fibronectin type III-like domains. Studies of the similar genes in chick and fly suggest the role of this PTP is in promoting neurite growth, and regulating neurons axon guidance.

Multiple tissue specific alternatively spliced transcript variants of this gene have been reported. [provided by RefSeq]

Other Designations: OTTHUMP00000022727,protein tyrosine phosphatase delta,protein tyrosine phosphatase, receptor type, delta polypeptide

Related Disease

[Asthma](#) [Asthma](#) [Atherosclerosis](#) [Atherosclerosis](#) [Cardiovascular Diseases](#) [Celiac Disease](#) [Diabetes Mellitus, Type 2](#) [Disease](#) [Edema](#) [Genetic Predisposition to Disease](#) [Glioblastoma](#) [Hypersensitivity](#) [Kidney Failure, Chronic](#) [Neoplasms](#) [Obesity](#) [Osteoporosis](#) [Restless Legs Syndrome](#) [Thrombosis](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.