



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## BCL2(Texas Red)/CEN18q(FITC) FISH Probe

Catalog # : FA0592

規格 : [ 200 uL ]

List All

### Specification

<b>Product Description:</b>	Made to order FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization Technique. ( <a href="#">Technology</a> )
<b>Supplied Product:</b>	DAPI Counterstain (1500 ng/mL ) 250 uL
<b>Storage Instruction:</b>	Store at 4°C in the dark.
<b>Origin:</b>	Human
<b>Source:</b>	Genomic DNA
<b>Notice:</b>	We <b>strongly recommend</b> the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: <a href="#">KA2375</a> or <a href="#">KA2691</a> ) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
<b>Regulation Status:</b>	For research use only (RUO)

### Application Image

Fluorescent In Situ Hybridization (Cell)

### Applications

Fluorescent In Situ Hybridization (Cell)

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [596](#)

**Gene Name:** BCL2

**Gene Alias:** Bcl-2

**Gene Description:** B-cell CLL/lymphoma 2

**Omim ID:** [151430](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** This gene encodes an integral outer mitochondrial membrane protein that blocks the apoptotic death of some cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Two transcript variants, produced by alternate splicing, differ in their C-terminal ends. [provided by RefSeq]

**Other Designations:** B-cell lymphoma protein 2, OTTHUMP00000163680

### Gene Pathway

[Amyotrophic lateral sclerosis \(ALS\)](#) [Apoptosis](#) [Colorectal cancer](#) [Focal adhesion](#)  
[Neurotrophin signaling pathway](#) [Pathways in cancer](#) [Prostate cancer](#) [Small cell lung cancer](#)

#### **Related Disease**

---

[Adenocarcinoma](#) [Alzheimer Disease](#) [Amnesia](#) [Attention Deficit Disorder with Hyperactivity](#)  
[Autistic Disorder](#) [Azoospermia](#) [Bile Duct Neoplasms](#) [Brain Injuries](#) [Breast cancer](#)  
[Breast Neoplasms](#) [Carcinoma](#) [Carcinoma, Ductal](#) [Carcinoma, Medullary](#)  
[Carcinoma, Renal Cell](#) [Carcinoma, Squamous Cell](#) [Cardiovascular Diseases](#)  
[Cholangiocarcinoma](#) [Chromosome Aberrations](#) [Clubfoot](#)

**... see more**

---

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2017 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.