



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

APOH (Human) Recombinant Protein (P01)

Catalog Number: H00000350-P01

Regulation Status: For research use only (RUO)

Product Description: Human APOH full-length ORF (AAH26283.1, 1 a.a. - 345 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

MISPVLILFSSFLCHVAIAGRTPKPDLLPFSTVVPLKTF
YEPGEEITYSCKPGYVSRGGMRKFICPLTGLWPINTLK
CTPRVCPFAGILENGAVRYTTFEYPNTISFSCNTGFYL
NGADSAKCTEEGKWSPPELPCAPIICPPPSIPTFATLR
VYKPSAGNNSLYRDTAVFECLPQHAMFGNDTITCTTH
GNWTKLPECREVKCPFSPRPDNGFVNYPKPTLYYK
DKATFGCHDGYSLDGPEEIECTKLGNWSAMPSCKAS
CKVPVKKATVVYQGERVKIQEKFKNGMLHGDKVSFFC
KNKEKKCSYTEDAQCIDGTIEVPKCFKEHSSLAFWKTD
ASDVKPC

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 64.7

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 350

Gene Symbol: APOH

Gene Alias: B2G1, BG

Gene Summary: Apolipoprotein H has been implicated in a variety of physiologic pathways including lipoprotein metabolism, coagulation, and the production of antiphospholipid autoantibodies. APOH may be a required cofactor for anionic phospholipid binding by the antiphospholipid autoantibodies found in sera of many patients with lupus and primary antiphospholipid syndrome, but it does not seem to be required for the reactivity of antiphospholipid autoantibodies associated with infections. [provided by RefSeq]