



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HPGD (Human) IP-WB Antibody Pair

Catalog # : H00003248-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of HPGD transfected lysate using mouse monoclonal anti-HPGD and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with rabbit polyclonal anti-HPGD.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-HPGD (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-HPGD (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [3248](#)

Gene Name: HPGD

Gene Alias: 15-PGDH, PGDH, PGDH1, SDR36C1

Gene Description: hydroxyprostaglandin dehydrogenase 15-(NAD)

Omim ID: [601688](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes a member of the short-chain nonmetalloenzyme alcohol dehydrogenase protein family. The encoded enzyme is responsible for the metabolism of prostaglandins, which function in a variety of physiologic and cellular processes such as inflammation. Mutations in this gene result in primary autosomal recessive hypertrophic osteoarthropathy and craniosteoarthropathy. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations: 15-hydroxy prostaglandin dehydrogenase, 15-hydroxyprostaglandin dehydrogenase, NAD+-dependent 15-hydroxyprostaglandin dehydrogenase, short chain dehydrogenase/reductase family 36C, member 1

Related Disease

[Adenoma](#) [Alzheimer Disease](#) [Alzheimer disease](#) [Amyotrophic Lateral Sclerosis](#)
[Amyotrophic lateral sclerosis](#) [Cardiovascular Diseases](#) [Chorioamnionitis](#)
[Colorectal Neoplasms](#) [Diabetes Complications](#) [Diabetes Mellitus, Type 2](#)
[Ductus Arteriosus, Patent](#) [Edema](#) [Fetal Membranes, Premature Rupture](#)
[Genetic Predisposition to Disease](#) [Infant, Premature, Diseases](#) [Lung Neoplasms](#)
[Metabolic Syndrome X](#) [Neoplasms](#) [Obstetric Labor, Premature](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.