



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

IL1RN monoclonal antibody (MF04), clone S14 (FITC)

Catalog Number: H00003557-MF04

Regulation Status: For research use only (RUO)

Product Description: FITC conjugated mouse monoclonal antibody raised against a full-length recombinant IL1RN.

Clone Name: S14

Immunogen: IL1RN (AAH09745, 1 a.a. ~ 159 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Sequence:

MALETICRPSGRKSSKMQAFRIWDVNQKTFYLRNNQL
VAGYLQGPNVNLEEKIDVVPIEPHALFLGIHGGKMCLS
CVKSGDETRLQLEAVNITDLSNRKQDKRFAFIRSDSG
PTTSFESAACPGWFLCTAMEADQPVSLTNMPDEGVM
VTKFYFQEDE

Host: Mouse

Interspecies Antigen Sequence: Mouse (76); Rat (74)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Conjugation: FITC

Isotype: IgG1 Kappa

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to
avoid repeated freezing and thawing.

Entrez GeneID: 3557

Gene Symbol: IL1RN

Gene Alias: ICIL-1RA, IL-1ra3, IL1F3, IL1RA, IRAP,
MGC10430

Gene Summary: The protein encoded by this gene is a
member of the interleukin 1 cytokine family. This protein

inhibits the activities of interleukin 1, alpha (IL1A) and interleukin 1, beta (IL1B), and modulates a variety of interleukin 1 related immune and inflammatory responses. This gene and five other closely related cytokine genes form a gene cluster spanning approximately 400 kb on chromosome 2. A polymorphism of this gene is reported to be associated with increased risk of osteoporotic fractures and gastric cancer. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]