



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

EXOSC8 (Human) Recombinant Protein (P01)

Catalog Number: H00011340-P01

Regulation Status: For research use only (RUO)

Product Description: Human EXOSC8 full-length ORF (AAH20773, 1 a.a. - 276 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

MAAGFKTVEPLEYYRRFLKENCPRPDGRELGEFRTTTF
NIGSISTADGSALVKLGNTTVICGVKAEFAAPSTDAPDK
GYVVPNVLDLPLCSSRFRSGPPGEEAQVASQFIADVIE
NSQIIQKEDLCISPGKLVWVLYCDLICLDYDGNILDACT
FALLAALKNVQLPEVTINEETALAEVNLKKSYLENIRTH
PVATSFVFDLTDLLIVDPTGEEHLATGTLTIVMDEEGK
LCCLHKPGGSGLTGAKLQDCMSRAVTRHKEVKKLMD
EVIKSMKPK

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 56.1

Interspecies Antigen Sequence: Mouse (90); Rat (93)

Applications: AP, Array, ELISA, WB-Re

(See our web site product page for detailed applications information)

Protocols: See our web site at

<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 11340

Gene Symbol: EXOSC8

Gene Alias: CIP3, EAP2, OIP2, RP11-421P11.3, RRP43, Rrp43p, bA421P11.3, p9

Gene Summary: This gene encodes a 3'-5' exoribonuclease that specifically interacts with mRNAs containing AU-rich elements. The encoded protein is part of the exosome complex that is important for the degradation of numerous RNA species. A pseudogene of this gene is found on chromosome 6. [provided by RefSeq]