



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

CD57 Biotin monoclonal antibody, clone hCD57

Catalog Number: MAB23619

Regulation Status: For research use only (RUO)

Product Description: Mouse Biotin monoclonal antibody raised against synthetic peptide of human CD57.

Clone Name: hCD57

Immunogen: Human CD57 Positive Cells

Host: Mouse

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Lyophilized

Purification: Ion-Exchange Column

Isotype: IgM

Recommend Usage: For staining (10 μ L/1,000,000 cells)

The optimal working dilution should be determined by the end user.

Storage Buffer: Lyophilized from 1 mg/mL in PBS

Storage Instruction: Store at 4°C on dry atmosphere. After reconstitution with 1 mL of deionized water, store at -20°C or lower.

Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 27087

Gene Symbol: B3GAT1

Gene Alias: CD57, GLCATP, GlcAT-P, GlcUAT-P, HNK-1, HNK1, LEU7, NK-1

Gene Summary: The protein encoded by this gene is a member of the glucuronyltransferase gene family. These enzymes exhibit strict acceptor specificity, recognizing nonreducing terminal sugars and their anomeric

linkages. This gene product functions as the key enzyme in a glucuronyl transfer reaction during the biosynthesis of the carbohydrate epitope HNK-1 (human natural killer-1, also known as CD57 and LEU7). Alternate transcriptional splice variants have been characterized. [provided by RefSeq]