



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### IL36RN (Human) Recombinant protein

**Catalog Number:** P8838

**Regulation Status:** For research use only (RUO)

**Product Description:** Human IL36RN (Q9UBH0) recombinant protein expressed in *Escherichia Coli*.

**Host:** *Escherichia coli*

**Theoretical MW (kDa):** 17

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Form:** Lyophilized

**Preparation Method:** *Escherichia coli* expression system

**Purity:** > 95% by SDS-PAGE.  
> 95% by RP-HPLC.

**Activity:** As measured by the binding ability in a functional ELISA, immobilized IL1F5 at 1 ug/mL (100 ul/well) can bind rHuIL-1 Rrp2/Fc Chimera with a linear range of 0.15 - 5 ug/mL.

**Storage Buffer:** Lyophilized from 20mM Phosphate buffer, pH7.4

**Storage Instruction:** Lyophilized although stable at room temperature for 3 weeks. should be stored desiccated below -20°C. Upon reconstitution should be stored at 4°C between 2-7 days and for future use below -20°C.  
Aliquot to avoid repeated freezing and thawing.

**Entrez GeneID:** 26525

**Gene Symbol:** IL36RN

**Gene Alias:** UNQ1896/PRO4342, FIL1, FIL1(DELTA), FIL1D, IL1F5, IL1HY1, IL1L1, IL1RP3, IL36RA, PSORP

**Gene Summary:** The protein encoded by this gene is a member of the interleukin 1 cytokine family. This

cytokine was shown to specifically inhibit the activation of NF-kappaB induced by interleukin 1 family, member 6 (IL1F6). This gene and eight other interleukin 1 family genes form a cytokine gene cluster on chromosome 2. Two alternatively spliced transcript variants encoding the same protein have been reported. [provided by RefSeq]