



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### RETN (Human) Recombinant Protein

mouse homolog of this protein is secreted by adipocytes, and may be the hormone potentially linking obesity to type II diabetes. [provided by RefSeq]

**Catalog Number:** P9156

**Regulation Status:** For research use only (RUO)

**Product Description:** Human RETN recombinant protein expressed in *Escherichia coli*.

**Sequence:**

MSSKTLCSMEEAINERIQEVAGSLIFRAISSIGLEQQSV  
TSRGDLATCPRGFAVTGCTCGSACGSWDVRAETTCH  
CQCAGMDWTGARCCRVQP

**Host:** *Escherichia coli*

**Theoretical MW (kDa):** 19.7

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Form:** Lyophilized

**Preparation Method:** *Escherichia coli* expression system

**Purification:** chromatographic

**Purity:** > 95% as determined by SDS-PAGE.

**Storage Buffer:** Lyophilized from a solution containing 0.1% TFA. Reconstitute the lyophilized powder in ddH<sub>2</sub>O to 100 ug/mL.

**Storage Instruction:** Lyophilized protein should be stored at -20°C. Protein aliquots at 4°C for 2 weeks. Avoid repeated freeze/thaw cycles.

**Entrez GeneID:** 56729

**Gene Symbol:** RETN

**Gene Alias:** ADSF, FIZZ3, MGC126603, MGC126609, RETN1, RSTN, XCP1

**Gene Summary:** This gene belongs to the family defined by the mouse resistin-like genes. The characteristic feature of this family is the C-terminal stretch of 10 cys residues with identical spacing. The