



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

TNF (Human) Recombinant Protein

Catalog Number: P9222

Regulation Status: For research use only (RUO)

Product Description: Human TNF recombinant protein with His tag in N-terminus expressed in *Escherichia coli*.

Sequence:

MHHHHHHVRSSSRTPSDKPVAVHVVANPQAEGQLQW
LNRRANALLANGVELRDNLVVPSEGLYLIYSQVLFKG
QGCPSTHVLLTHTISRIVASYQTKVNLLSAIKSPCQRET
PEGAEAKPWYEPIYLGGVFQLEKGDRLSAEINRPDYL
DFAESGQVYFGIALL

Host: *Escherichia coli*

Theoretical MW (kDa): 18.3

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Form: Lyophilized

Preparation Method: *Escherichia coli* expression
system

Purification: chromatographic

Purity: > 95% as determined by SDS-PAGE.

Storage Buffer: Lyophilized from a solution containing
1X PBS, pH 7.0. Reconstitute the lyophilized powder in
ddH₂O to 100 ug/mL.

Storage Instruction: Lyophilized protein at room
temperature for 3 weeks, should be stored at -20°C.
Protein aliquots at 4°C for 2-7 days and should be stored
at -20°C to -80°C. For long term storage it is
recommended to add a carrier protein (0.1% HSA or
BSA).
Avoid repeated freeze/thaw cycles.

Entrez GeneID: 7124

Gene Symbol: TNF

Gene Alias: DIF, TNF-alpha, TNFA, TNFSF2

Gene Summary: This gene encodes a multifunctional proinflammatory cytokine that belongs to the tumor necrosis factor (TNF) superfamily. This cytokine is mainly secreted by macrophages. It can bind to, and thus functions through its receptors TNFRSF1A/TNFR1 and TNFRSF1B/TNFBFR. This cytokine is involved in the regulation of a wide spectrum of biological processes including cell proliferation, differentiation, apoptosis, lipid metabolism, and coagulation. This cytokine has been implicated in a variety of diseases, including autoimmune diseases, insulin resistance, and cancer. Knockout studies in mice also suggested the neuroprotective function of this cytokine. [provided by RefSeq]