



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

BTLA (Human) Recombinant Protein

Catalog Number: P9653

Regulation Status: For research use only (RUO)

Product Description: Human BTLA (Q7Z6A9, 31 a.a. - 157 a.a.) partial recombinant protein with His tag at C-terminus expressed in Sf9 cells.

Sequence:

ADPKESCDVQLYIKRQSEHSILAGDPFELECPVKYCAN
RPHVTWCKLNGTTCVKLEDRQTSWKEEKNIFFILHFE
PVLPNDNNGSYRCSANFQSNLIESHSTTLVYTDVKSASE
RPSKDEMASRPWLLYSHHHHHH

Host: insect

Theoretical MW (kDa): 15.7

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Liquid

Preparation Method: Sf9 cell expression system

Purity: > 90.0% by SDS-PAGE

Recommend Usage: Biological Activity
SDS-PAGE

The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS pH 7.4 (10% glycerol)

Storage Instruction: Store at 2°C to 8°C for 2-4 week.
For long term storage, aliquot and store at -20°C to -80°C.
Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 151888

Gene Symbol: BTLA

Gene Alias: BTLA1, CD272, FLJ16065, MGC129743

Gene Summary: BTLA expression is induced during activation of T cells, and BTLA remains expressed on

Th1 cells but not Th2 cells. Like PD1 (MIM 600244) and CTLA4 (MIM 123890), BTLA interacts with a B7 homolog, B7H4.[supplied by OMIM]