



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

VEGF121 (Human) Recombinant Protein

Catalog Number: P9700

Regulation Status: For research use only (RUO)

Product Description: Human VEGF121 (P15692-9, 27 a.a. - 147 a.a.) partial recombinant protein expressed in HEK293 cells.

Sequence:

APMAEGGGQNHHEVVKFMDVYQRSYCHPIETLVDIFQ
EYPDEIEYIFKPCVPLMRCGGCCNDEGLECVPTES
NITMQIMRIKPHQGQHIGEMSFLQHNKCECRPKKDRA
RQEKCDKPRR

Host: Human

Theoretical MW (kDa): 14.07

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Liquid

Preparation Method: Mammalian cell (Expi293, high-yield transient HEK293) expression system

Purity: > 95% as determined by Tris-Bis PAGE; > 90% as determined by HPLC

Endotoxin Level: < 1 EU per 1 ug of protein (determined by LAL method)

Activity: The EC₅₀ was 21.7 ng/mL, measured by ELISA at 0.5 ug/mL.

Recommend Usage: Biological Activity

ELISA

SDS-PAGE

The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS pH 7.4

Storage Instruction: Store at -80°C for 12 Month. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 7422

Gene Symbol: VEGFA

Gene Alias: MGC70609, VEGF, VEGF-A, VPF

Gene Summary: This gene is a member of the PDGF/VEGF growth factor family and encodes a protein that is often found as a disulfide linked homodimer. This protein is a glycosylated mitogen that specifically acts on endothelial cells and has various effects, including mediating increased vascular permeability, inducing angiogenesis, vasculogenesis and endothelial cell growth, promoting cell migration, and inhibiting apoptosis. Elevated levels of this protein is linked to POEMS syndrome, also known as Crow-Fukase syndrome. Mutations in this gene have been associated with proliferative and nonproliferative diabetic retinopathy. Alternatively spliced transcript variants, encoding either freely secreted or cell-associated isoforms, have been characterized. There is also evidence for the use of non-AUG (CUG) translation initiation sites upstream of, and in-frame with the first AUG, leading to additional isoforms. [provided by RefSeq]