



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

PDCD1 (Human) Recombinant Protein

Catalog Number: P9708

Regulation Status: For research use only (RUO)

Product Description: Human PDCD1 (Q15116, 25 a.a. - 167 a.a.) partial recombinant protein with His tag at C-terminus expressed in Expi293 cells.

Sequence:

LDSPDRPWNPPPTFSPALLVVTEGDNATFTCSFSNTSE
SFVLNWYRMSPSNQTDKLAAPEDRSQPGQDCFRV
TQLPNGRDFHMSVVRARRNDSGTYLCGAISLAPKAQI
KESLRAELRVTERRAEVPTAHPSPSPRPAGQFQ

Host: Human

Theoretical MW (kDa): 17

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Liquid

Preparation Method: Mammalian cell (Expi293, high-yield transient HEK293) expression system

Purity: > 95% as determined by Tris-Bis PAGE; > 95% as determined by HPLC

Endotoxin Level: < 1 EU per 1 ug of protein
(determined by LAL method)

Activity: The EC₅₀ was 12.7 ng/mL, measured by ELISA at 0.5 ug/mL.

Recommend Usage: Biological Activity

ELISA

SDS-PAGE

The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS pH 7.4

Storage Instruction: Store at -80°C for 12 Month.
Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 5133

Gene Symbol: PDCD1

Gene Alias: CD279, PD1, SLEB2, hPD-1, hPD-I

Gene Summary: This gene encodes a cell surface membrane protein of the immunoglobulin superfamily. This protein is expressed in pro-B-cells and is thought to play a role in their differentiation. In mice, expression of this gene is induced in the thymus when anti-CD3 antibodies are injected and large numbers of thymocytes undergo apoptosis. Mice deficient for this gene bred on a BALB/c background developed dilated cardiomyopathy and died from congestive heart failure. These studies suggest that this gene product may also be important in T cell function and contribute to the prevention of autoimmune diseases. [provided by RefSeq]