



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

Datasheet

Rabbit Fab Anti-Human IgG (H&L) secondary antibody

Storage Instruction: Store vial at 4°C prior to opening.
This product is stable at 4°C as an undiluted liquid.
Dilute only prior to immediate use.

Catalog Number: PAB31781

Regulatory Status: For research use only (RUO)

Product Description: Rabbit Fab polyclonal antibody raised against human IgG (H&L).

Immunogen: Human IgG whole molecule.

Host: Rabbit

Reactivity: Human

Applications: ELISA, IHC, WB
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Specificity: IgG (H&L). Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-rabbit serum. No reaction was observed against anti-papain or anti-rabbit IgG F(c).

Form: Liquid

Conjugation: Unconjugated

Purification: This antibody was prepared from monospecific antiserum by immunoaffinity chromatography using human IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, papain digestion and chromatographic separation.

Isotype: IgG Fab

Recommend Usage: ELISA (1:30000)
Immunohistochemistry (1:1000-1:5000)
Western Blot (1:2000-1:10000)
The optimal working dilution should be determined by the end user.

Storage Buffer: In 0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2 (0.01% (w/v) sodium azide).