



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Datasheet

### ITGAL recombinant monoclonal antibody, clone hu1124 (Efalizumab)

**Catalog Number:** RAB01131

**Regulatory Status:** For research use only (RUO)

**Product Description:** Mouse recombinant monoclonal antibody raised against human CD11a.

**Clone Name:** hu1124

**Immunogen:** Original antibody is raised against Efalizumab binds to CD11a, a subunit of leukocyte function antigen-1, which is expressed on all leukocytes.

**Antibody Species:** Mouse

**Protocols:** See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

**Specificity:** Binds to human LFA-1.

**Form:** Liquid

**Purification:** Protein A affinity purification

**Isotype:** IgG2a, Kappa

**Recommend Usage:** Flow cytometry  
Immunohistochemistry  
The optimal working dilution should be determined by the end user.

**Storage Buffer:** In PBS with 0.02% Proclin 300

**Storage Instruction:** Store at 4°C for up to 3 months.  
For longer storage, aliquot and store at -20°C.

**Entrez GeneID:** 3683

**Gene Symbol:** ITGAL

**Gene Alias:** CD11A, LFA-1, LFA1A

**Gene Summary:** ITGAL encodes the integrin alpha L chain. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. This I-domain containing alpha integrin combines with

the beta 2 chain (ITGB2) to form the integrin lymphocyte function-associated antigen-1 (LFA-1), which is expressed on all leukocytes. LFA-1 plays a central role in leukocyte intercellular adhesion through interactions with its ligands, ICAMs 1-3 (intercellular adhesion molecules 1 through 3), and also functions in lymphocyte costimulatory signaling. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]