



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

VCAM1 recombinant monoclonal antibody

Catalog Number: RAB02626

Regulatory Status: For research use only (RUO)

Product Description: Rabbit recombinant monoclonal antibody raised against human VCAM1.

Immunogen: Original antibody is raised against KLH conjugated synthetic peptide derived from human VCAM1: 651-739/739.

Theoretical MW (kDa): 81

Antibody Species: Rabbit

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Specificity: Detects endogenous levels of VCAM1 protein.

Form: Liquid

Purification: Affinity chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Isotype: IgG

Recommend Usage: Immunocytochemistry (1:20-1:200)
Immunofluorescence (1:20-1:200)
Immunohistochemistry (1:20-1:200)
Western Blot (1:200-1:1000)

Storage Buffer: In 0.01M TBS, pH7.4 (1% BSA, 0.03% Proclin300 and 50% Glycerol)

Storage Instruction: Store at 4°C short term.
Aliquot and store at -20°C long term.
Avoid freeze-thaw cycles.

Entrez GeneID: 7412

Gene Symbol: VCAM1

Gene Alias: CD106, DKFZp779G2333, INCAM-100, MGC99561

Gene Summary: This gene is a member of the Ig superfamily and encodes a cell surface sialoglycoprotein expressed by cytokine-activated endothelium. This type I membrane protein mediates leukocyte-endothelial cell adhesion and signal transduction, and may play a role in the development of atherosclerosis and rheumatoid arthritis. Two alternatively spliced transcripts encoding different isoforms have been described for this gene. [provided by RefSeq]