



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

AOC3 recombinant monoclonal antibody, clone 2D10

Catalog Number: RAB03958

Regulatory Status: For research use only (RUO)

Product Description: Rabbit recombinant monoclonal antibody raised against affinity purified VAP-1 from tonsil stroma of human origin.

Clone Name: 2D10

Immunogen: Original antibody is raised against recombinant protein corresponding to affinity purified VAP-1 from tonsil stroma of human origin.

Antibody Species: Rabbit

Protocols: See our web site at <http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Form: Liquid

Isotype: IgG kappa

Recommend Usage: ELISA

Flow cytometry

Immunofluorescence

Immunohistochemistry

Immunoprecipitation

Western Blot

The optimal working dilution should be determined by the end user.

Storage Buffer: In PBS (0.02% Proclin 300)

Storage Instruction: Store at 4°C for 3 months. For long term storage store at -20°C.

Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 8639

Gene Symbol: AOC3

Gene Alias: HPAO, SSAO, VAP-1, VAP1

Gene Summary: Copper amine oxidases catalyze the oxidative conversion of amines to aldehydes in the

presence of copper and quinone cofactor. The product is a major protein on the adipocyte plasma membrane. It has adhesive properties and also has functional monoamine oxidase activity. A pseudogene for this gene has been described and is located approximately 9-kb downstream. [provided by RefSeq]