

A-FLX™ FFPE Cell Pellet Array Leukemia and Lymphoma Cancer Array (CPA-07-01)

GENERAL INFORMATION

Product Name: A-FLX™ FFPE Cell Pellet Array
Leukemia and Lymphoma Cancer Array (CPA-07-01)

Reference Number: 3075-0110 Block
3075-0120 Slide (4µm)

Date of Manufacturing: See product label

Lot Number: See product label

Intended Use: For research use only

DESCRIPTION

Cell Line: JURKAT, CCRF-CEM, K562, RAJI, HUT78, SUDHL1, SUDHL4

Tissue of Origin: Blood or Lymph Node

Culturing Condition: Multiple

Fixation Condition: 10% neutral buffered formalin (NBF) for 24 hours at 24-27°C

Product Format:

Block: Paraffin embedded block. Pellet thickness: ~2mm

Slide: One unstained section mounted on Superfrost™ Plus slide. Section thickness: 4µm

STORAGE CONDITION

2-8 °C with desiccation (Recommended)

*STABILITY

Block	5 years
Slide	1 year

*FFPE sample stability is not universally established and is biomarker and assay dependent. More frequent re-testing may be needed for certain labile biomolecules.

SAFETY AND PRECAUTIONS


This product does not contain hazardous material. Wear appropriate personal protective equipment (PPE) when handling reagents and biological specimens.

RECOMMENDED PROCEDURES

Staining using FFPE slides:

1. Bake slides at 60°C for 30-60 min.
2. Deparaffinize 3 times in Xylene or Xylene substitute for 5 min each time
3. Rinse 2 times in 100% ethanol for 1 min each.
4. Rehydrate in ethanol series (95% 1 min, 70% 1 min, distilled H₂O 2 times for 1 min each).
5. Proceed to staining protocol.

ARRAY MAP



	1	2	3	4
A	JURKAT	CCRF-CEM	K562	RAJI
B	HUT78	SUDHL1	SUDHL4	



Acepix Biosciences, Inc.

32990 Alvarado-Niles Road, Suite 910 Union City· CA · 94587 · USA
Tel: 1 (888) 866-0580 · Web: www.acepixon.com