



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)


[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Microarray Panel	Uterine cervical carcinoma tissue microarray (slide 5 of 520 cases of cervix cancer survey slide set), containing 104 cases of malignant tumor (87 squamous cell carcinoma, 3 adenosquamous carcinoma, 1 adenocarcinoma), duplicate cores per case	
Cores	208	
Cases	104	
Row number	13	
Column number	16	
Core Diameter (mm)	1	
Thickness (µm)	5	
Tissue Array Type	FFPE	
Species	Human	

**Applications** Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.

**Notes** 1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). **To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C.** before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours.  
In the following specsheet, "\*" means invalid core; "-" means no applicable or negative in IHC markers.



**Legend: Ute** - Uterine Cervix  
 ● - Malignant tumor, ○ - Malignant tumor (stage I), ○ - Malignant tumor (stage IA), ○ - Malignant tumor (stage IB), ● - Malignant tumor (stage II), ● - Malignant tumor (stage IIA), ● - Malignant tumor (stage IIB), ● - Malignant tumor (stage III), ● - Malignant tumor (stage IIIB)

tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	HPV	P16	Notes	Ima
A1	1	55	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	1	IIA	Malignant	-	++		
A2	2	55	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	1	IIA	Malignant	-	++		
A3	3	47	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	1	IB	Malignant	-	+++		
A4	4	47	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	1	IB	Malignant	-	+++		
A5	5	48	F	Uterine Cervix	Squamous cell carcinoma	T1aN0M0	2	IA	Malignant	-	+++		
A6	6	48	F	Uterine Cervix	Squamous cell carcinoma	T1aN0M0	2	IA	Malignant	-	+++		
A7	7	55	F	Uterine Cervix	Squamous cell carcinoma (sparse)	T3N1M0	-	IIIB	Malignant	++	+++		
A8	8	55	F	Uterine Cervix	Squamous cell carcinoma (sparse)	T3N1M0	-	IIIB	Malignant	++	+++		
A9	9	48	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	1	I	Malignant	++	+++		
A10	10	48	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	1	I	Malignant	++	+++		
A11	11	53	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	1	IIA	Malignant	+	+++		
A12	12	53	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	1	IIA	Malignant	+	+++		
A13	13	40	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	+++		
A14	14	40	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	+++		
A15	15	42	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	1	I	Malignant	-	+++		
A16	16	42	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	1	I	Malignant	-	+++		
B1	17	40	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	1	IIB	Malignant	-	++		
B2	18	40	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	1	IIB	Malignant	-	++		
B3	19	40	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	++		
B4	20	40	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	++		
B5	21	50	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	++	+++		
B6	22	50	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	++	+++		
B7	23	49	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	-		
B8	24	49	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	*	-		
B9	25	39	F	Uterine Cervix	Squamous cell carcinoma (chronic inflammation of fibrous tissue)	T2bN0M0	-	IIB	Malignant	*	*		
B10	26	39	F	Uterine Cervix	Squamous cell carcinoma (sparse)	T2bN0M0	-	IIB	Malignant	*	+		
B11	27	38	F	Uterine Cervix	Squamous cell carcinoma	T3N1M0	2	IIIB	Malignant	-	-		

B12	28	38	F	Uterine Cervix	Squamous cell carcinoma	T3N1M0	2	IIIB	Malignant	-	-
B13	29	42	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
B14	30	42	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
B15	31	45	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
B16	32	45	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
C1	33	28	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
C2	34	28	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
C3	35	50	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	2	II	Malignant	-	++
C4	36	50	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	2	II	Malignant	-	++
C5	37	52	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
C6	38	52	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
C7	39	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
C8	40	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
C9	41	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+++	+++
C10	42	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+++	+++
C11	43	43	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+
C12	44	43	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+
C13	45	48	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	-	+++
C14	46	48	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	-	+++
C15	47	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	++
C16	48	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	++
D1	49	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	++
D2	50	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	++
D3	51	32	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
D4	52	32	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
D5	53	32	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
D6	54	32	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
D7	55	41	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
D8	56	41	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
D9	57	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+++
D10	58	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+++
D11	59	24	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
D12	60	24	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
D13	61	39	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	+++	+++
D14	62	39	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	+++	+++
D15	63	29	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	-	+++
D16	64	29	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	-	+++
E1	65	54	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
E2	66	54	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
E3	67	48	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+
E4	68	48	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+
E5	69	40	F	Uterine Cervix	Squamous cell carcinoma (smooth muscle and blood vessel)	T1bN0M0	-	IB	Malignant	*	*
E6	70	40	F	Uterine Cervix	Squamous cell carcinoma (smooth muscle and blood vessel)	T1bN0M0	-	IB	Malignant	*	*
E7	71	46	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
E8	72	46	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
E9	73	50	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
E10	74	50	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	-	+++
E11	75	50	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	++	+++
E12	76	50	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	++	+++
E13	77	61	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
E14	78	61	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
E15	79	41	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++
E16	80	41	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++
F1	81	45	F	Uterine Cervix	Squamous cell carcinoma (sparse)	T2aN0M0	-	IIA	Malignant	+++	+++
F2	82	45	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+++	+++
F3	83	39	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
F4	84	39	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++
F5	85	59	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+++
F6	86	59	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+	+++
F7	87	51	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
F8	88	51	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++
F9	89	44	F	Uterine Cervix	Squamous cell carcinoma(chronic inflammation of fibrous tissue)	T1bN0M0	-	IB	Malignant	*	*
F10	90	44	F	Uterine Cervix	Squamous cell carcinoma(chronic inflammation of fibrous tissue)	T1bN0M0	-	IB	Malignant	*	*
F11	91	35	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+++	+
F12	92	35	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+++	+
F13	93	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	++
F14	94	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	++
F15	95	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	+++
F16	96	42	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	-	+++
G1	97	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
G2	98	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
G3	99	37	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	+	++
G4	100	37	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	+	++
G5	101	45	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	3	II	Malignant	+++	+++
G6	102	45	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	3	II	Malignant	+++	+++
G7	103	49	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++
G8	104	49	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++

G9	105	48	F	Uterine Cervix	Squamous cell carcinoma	T3N0M0	2	III	Malignant	-	++	
G10	106	48	F	Uterine Cervix	Squamous cell carcinoma	T3N0M0	2	III	Malignant	-	++	
G11	107	30	F	Uterine Cervix	Squamous cell carcinoma	T1aN0M0	2	IA	Malignant	++	+++	
G12	108	30	F	Uterine Cervix	Squamous cell carcinoma	T1aN0M0	2	IA	Malignant	++	+++	
G13	109	45	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++	
G14	110	45	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	+++	
G15	111	48	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
G16	112	48	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
H1	113	42	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	+++	+++	
H2	114	42	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	+++	+++	
H3	115	56	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	2	IIIB	Malignant	-	+++	
H4	116	56	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	2	IIIB	Malignant	-	+++	
H5	117	36	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
H6	118	36	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
H7	119	54	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	-	+++	
H8	120	54	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	-	+++	
H9	121	72	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	++	+++	
H10	122	72	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	3	IIA	Malignant	++	+++	
H11	123	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+++	+++	
H12	124	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	+++	+++	
H13	125	46	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
H14	126	46	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	++	+++	
H15	127	58	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+++	+++	
H16	128	58	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+++	+++	
I1	129	45	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++	
I2	130	45	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	-	+++	
I3	131	58	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	2	IIIB	Malignant	+	-	
I4	132	58	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	2	IIIB	Malignant	+	-	
I5	133	36	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+	+++	
I6	134	36	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+	+++	
I7	135	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+	+++	
I8	136	42	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	+	+++	
I9	137	35	F	Uterine Cervix	Squamous cell carcinoma (smooth muscle and blood vessel)	T1a2N0M0	-	IA	Malignant	*	*	
I10	138	35	F	Uterine Cervix	Squamous cell carcinoma (smooth muscle and blood vessel)	T1a2N0M0	-	IA	Malignant	*	*	
I11	139	40	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	2	II	Malignant	++	+++	
I12	140	40	F	Uterine Cervix	Squamous cell carcinoma	T2N0M0	2	II	Malignant	++	+++	
I13	141	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	++	
I14	142	50	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	2	IB	Malignant	++	++	
I15	143	67	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	++	+++	
I16	144	67	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	2	I	Malignant	++	+++	
J1	145	60	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	+	+++	
J2	146	60	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	+	+++	
J3	147	63	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	-	++	
J4	148	63	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	-	++	
J5	149	61	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	-	+++	
J6	150	61	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	-	+++	
J7	151	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	+	+++	
J8	152	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	+	+++	
J9	153	54	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	++	+++	
J10	154	54	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	++	+++	
J11	155	53	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++	
J12	156	53	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	2	IIB	Malignant	++	+++	
J13	157	52	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+	+++	
J14	158	52	F	Uterine Cervix	Squamous cell carcinoma	T2aN0M0	2	IIA	Malignant	+	+++	
J15	159	46	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	-	+++	
J16	160	46	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	-	+++	
K1	161	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	++	+++	
K2	162	44	F	Uterine Cervix	Squamous cell carcinoma	T1bN0M0	3	IB	Malignant	++	+++	
K3	163	46	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	3	IIIB	Malignant	-	+++	
K4	164	46	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	3	IIIB	Malignant	-	+++	
K5	165	45	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	3	IIIB	Malignant	++	+++	
K6	166	45	F	Uterine Cervix	Squamous cell carcinoma	T1N1M0	3	IIIB	Malignant	++	+++	
K7	167	39	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	++	+++	
K8	168	39	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	++	+++	
K9	169	35	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	-	+++	
K10	170	35	F	Uterine Cervix	Squamous cell carcinoma	T2bN0M0	3	IIB	Malignant	-	+++	
K11	171	45	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	+	+++	
K12	172	45	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	+	+++	
K13	173	40	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	++	+++	
K14	174	40	F	Uterine Cervix	Squamous cell carcinoma	T1N0M0	3	I	Malignant	++	+++	
K15	175	42	F	Uterine Cervix	Adenosquamous carcinoma	T2aN0M0	-	IIA	Malignant	++	+++	
K16	176	42	F	Uterine Cervix	Adenosquamous carcinoma	T2aN0M0	-	IIA	Malignant	++	+++	
L1	177	49	F	Uterine Cervix	Adenosquamous carcinoma	T1N0M0	-	I	Malignant	++	++	
L2	178	49	F	Uterine Cervix	Adenosquamous carcinoma	T1N0M0	-	I	Malignant	++	++	
L3	179	72	F	Uterine Cervix	Adenosquamous carcinoma	T1bN0M0	-	IB	Malignant	-	+++	
L4	180	72	F	Uterine Cervix	Adenosquamous carcinoma	T1bN0M0	-	IB	Malignant	-	+++	
L5	181	38	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	-	-	
L6	182	38	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	-	-	
L7	183	42	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	1	IB	Malignant	-	++	

L8	184	42	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	1	IB	Malignant	-	++		
L9	185	62	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	+	+++		
L10	186	62	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	+	+++		
L11	187	46	F	Uterine Cervix	Adenocarcinoma	T2bN0M0	2	IIB	Malignant	++	-		
L12	188	46	F	Uterine Cervix	Adenocarcinoma	T2bN0M0	2	IIB	Malignant	++	-		
L13	189	36	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	-	+++		
L14	190	36	F	Uterine Cervix	Adenocarcinoma(fibrous tissue)	T1N0M0	-	I	Malignant	*	*		
L15	191	60	F	Uterine Cervix	Serous papillary adenocarcinoma	T1N0M0	2	I	Malignant	++	+++		
L16	192	60	F	Uterine Cervix	Serous papillary adenocarcinoma	T1N0M0	2	I	Malignant	++	+++		
M1	193	56	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	-	*		
M2	194	56	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2	I	Malignant	-	*		
M3	195	48	F	Uterine Cervix	Adenocarcinoma endometrium	T1N0M0	2	I	Malignant	+	+		
M4	196	48	F	Uterine Cervix	Adenocarcinoma endometrium	T1N0M0	2	I	Malignant	+	+		
M5	197	42	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	2-3	IB	Malignant	-	*		
M6	198	42	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	2-3	IB	Malignant	-	*		
M7	199	44	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	3	IB	Malignant	+	*		
M8	200	44	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	3	IB	Malignant	+	*		
M9	201	42	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2-3	I	Malignant	+	*		
M10	202	42	F	Uterine Cervix	Adenocarcinoma	T1N0M0	2-3	I	Malignant	+	+		
M11	203	53	F	Uterine Cervix	Adenocarcinoma	T1N0M0	3	I	Malignant	-	+		
M12	204	53	F	Uterine Cervix	Adenocarcinoma	T1N0M0	3	I	Malignant	-	+		
M13	205	44	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	3	IB	Malignant	+	-		
M14	206	44	F	Uterine Cervix	Adenocarcinoma	T1bN0M0	3	IB	Malignant	+	-		
M15	207	41	F	Uterine Cervix	Adenocarcinoma	T2aN0M0	3	IIA	Malignant	+	+++		
M16	208	41	F	Uterine Cervix	Adenocarcinoma	T2aN0M0	3	IIA	Malignant	+	+++		
-	0	58	M	Skin	Malignant melanoma (tissue marker)		-		Malignant				-

**TNM grading:**

**T - Primary tumor**

- Tx - Primary tumor cannot be assessed
- T0 - No evidence of primary tumor
- Tis - Carcinoma in situ; intraepithelial or invasion of lamina propria
- T1 - Tumor invades submucosa
- T2 - Tumor invades muscularis propria
- T3 - Tumor invades through muscularis propria into subserosa or into non-peritonealized pericolic or perirectal tissues.
- T4 - Tumor directly invades other organs or structures and/or perforate visceral peritoneum

**N - Regional lymph nodes**

- Nx - Regional lymph nodes cannot be assessed
- N0 - No regional lymph node metastasis
- N1 - Metastasis in 1 to 3 regional lymph nodes
- N2 - Metastasis in 4 or more regional lymph nodes

**M - Distant metastasis**

- Mx - Distant metastasis cannot be assessed
- M0 - No distant metastasis
- M1 - Distant metastasis

AMSBIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)



**UK & Rest of the World**  
 184 Park Drive, Milton Park  
 Abingdon OX14 4SE, UK  
 T: +44 (0)1235 828 200  
 F: +44 (0) 1235 820 482



**North America**  
 1035 Cambridge Street,  
 Cambridge, MA 02141  
 T: +1 (617) 945-5033 or  
 T: +1 (800) 987-0985  
 F: +1 (617) 945-8218



**Germany**  
 Bockenheimer Landstr. 17/19  
 60325 Frankfurt/Main  
 T: +49 (0) 69 779099  
 F: +49 (0) 69 13376880



**Switzerland**  
 Centro Nord-Sud 2E  
 CH-6934 Bioggio-Lugano  
 T: +41(0) 91 604 55 22  
 F: +41(0) 91 605 17 85