



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

LC2163 : Non-small cell lung cancer NSCLC tissue array (all samples are from 2006 to 2012) with multiple IHC marker (CD70, MPO and PD-L1), including pathology grade, TNM and clinical stage, 108 cases/216 cores(1.0mm)

Microarray Panel	Non-small cell lung cancer tissue microarray with multiple IHC marker (CD70, MPO and PD-L1), containing 39 cases squamous cell carcinoma, 60 adenocarcinoma, 2 adenoid cystic carcinoma, 4 adenosquamous carcinoma and 3 mucoepidermoid carcinoma, duplicate cores per case		
Cores	216	<p style="text-align: center;">LC2163 H&E</p> 	
Cases	108		
Row number	12		
Column number	18		
Core Diameter (mm)	1		
Thickness (µm)	5		
Quantity Control	H&E and IHC confirmed(TTF-1)		
Tissue Array Type	FFPE		
Species	Human		
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.		
Notes	<p>1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for deparaffinization. Baked slides were sent out baked for 2 hours.</p> <p>In the following specsheet, "*" means invalid core; "-" means no applicable or negative in IHC markers.</p>		

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
A	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
B	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
C	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
D	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
E	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
F	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
G	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
H	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
I	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
J	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
K	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun
L	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun	Lun

Legend: Lun - Lung

- - Malignant tumor, ○ - Malignant tumor (stage IA), ○ - Malignant tumor (stage IB), ● - Malignant tumor (stage IIA), ● - Malignant tumor (stage IIB), ● - Malignant tumor (stage IIIA), ● - Malignant tumor (stage IIIB), ● - Malignant tumor (stage IV)

, tissue IDs are available in exported Excel files.


Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Image
A1	1	65	M	Lung	Squamous cell carcinoma	T2N0M0	1	IB	Malignant	

A2	2	65	M	Lung	Squamous cell carcinoma	T2N0M0	1	IB	Malignant
A3	3	60	M	Lung	Squamous cell carcinoma (sparse)	T2N0M0	1	IB	Malignant
A4	4	60	M	Lung	Squamous cell carcinoma	T2N0M0	1	IB	Malignant
A5	5	63	M	Lung	Squamous cell carcinoma	T2N0M0	1	IB	Malignant
A6	6	63	M	Lung	Squamous cell carcinoma	T2N0M0	-	IB	Malignant
A7	7	69	M	Lung	Squamous cell carcinoma (sparse)	T2N1M0	-	IIA	Malignant
A8	8	69	M	Lung	Squamous cell carcinoma	T2N1M0	1--2	IIA	Malignant
A9	9	55	M	Lung	Squamous cell carcinoma	T2N0M0	1	IB	Malignant
A10	10	55	M	Lung	Squamous cell carcinoma	T2N0M0	-	IB	Malignant
A11	11	57	M	Lung	Squamous cell carcinoma	T2N1M0	1--2	IIA	Malignant
A12	12	57	M	Lung	Squamous cell carcinoma	T2N1M0	1--2	IIA	Malignant
A13	13	58	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
A14	14	58	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
A15	15	67	M	Lung	Squamous cell carcinoma	T2N0M1	2	IV	Malignant
A16	16	67	M	Lung	Squamous cell carcinoma	T2N0M1	2	IV	Malignant
A17	17	56	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
A18	18	56	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
B1	19	71	M	Lung	Squamous cell carcinoma	T3N1M0	2	IIIA	Malignant
B2	20	71	M	Lung	Squamous cell carcinoma	T3N1M0	2	IIIA	Malignant
B3	21	70	M	Lung	Squamous cell carcinoma	T3N1M0	2	IIIA	Malignant
B4	22	70	M	Lung	Squamous cell carcinoma	T3N1M0	2	IIIA	Malignant
B5	23	66	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B6	24	66	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B7	25	54	M	Lung	Squamous cell carcinoma with necrosis (sparse)	T2N0M0	2	IB	Malignant
B8	26	54	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
B9	27	49	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B10	28	49	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B11	29	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B12	30	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B13	31	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B14	32	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
B15	33	51	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
B16	34	51	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
B17	35	64	M	Lung	Squamous cell carcinoma	T3N0M0	2	IIB	Malignant
B18	36	64	M	Lung	Squamous cell carcinoma	T3N0M0	2	IIB	Malignant
C1	37	62	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C2	38	62	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C3	39	56	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C4	40	56	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C5	41	66	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C6	42	66	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C7	43	55	M	Lung	Squamous cell carcinoma	T2N1M0	-	IIA	Malignant
C8	44	55	M	Lung	Squamous cell carcinoma	T2N1M0	-	IIA	Malignant
C9	45	55	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C10	46	55	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C11	47	72	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
C12	48	72	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
C13	49	58	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C14	50	58	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C15	51	48	F	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C16	52	48	F	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
C17	53	65	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
C18	54	65	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
D1	55	65	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
D2	56	65	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
D3	57	70	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant

D4	58	70	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
D5	59	65	M	Lung	Squamous cell carcinoma	T2N1M0	-	IIA	Malignant
D6	60	65	M	Lung	Squamous cell carcinoma	T2N1M0	-	IIA	Malignant
D7	61	55	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
D8	62	55	M	Lung	Squamous cell carcinoma	T2N0M0	2	IB	Malignant
D9	63	53	M	Lung	Squamous cell carcinoma	T1N1M0	-	IIA	Malignant
D10	64	53	M	Lung	Squamous cell carcinoma	T1N1M0	-	IIA	Malignant
D11	65	57	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
D12	66	57	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
D13	67	59	M	Lung	Squamous cell carcinoma	T2N3M0	3	IIIB	Malignant
D14	68	59	M	Lung	Squamous cell carcinoma	T2N3M0	3	IIIB	Malignant
D15	69	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
D16	70	55	M	Lung	Squamous cell carcinoma	T2N1M0	2	IIA	Malignant
D17	71	65	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
D18	72	65	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
E1	73	60	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
E2	74	60	M	Lung	Squamous cell carcinoma	T2N1M0	3	IIA	Malignant
E3	75	67	M	Lung	Squamous cell carcinoma	T2N0M0	3	IB	Malignant
E4	76	67	M	Lung	Squamous cell carcinoma	T2N0M0	3	IB	Malignant
E5	77	52	M	Lung	Squamous cell carcinoma	T2N0M0	3	IB	Malignant
E6	78	52	M	Lung	Squamous cell carcinoma	T2N0M0	3	IB	Malignant
E7	79	41	M	Lung	Adenocarcinoma	T2N0M0	1	IB	Malignant
E8	80	41	M	Lung	Adenocarcinoma	T2N0M0	1	IB	Malignant
E9	81	67	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
E10	82	67	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
E11	83	45	M	Lung	Adenocarcinoma	T3N1M0	2	IIIA	Malignant
E12	84	45	M	Lung	Adenocarcinoma	T3N1M0	2	IIIA	Malignant
E13	85	53	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
E14	86	53	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
E15	87	65	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
E16	88	65	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
E17	89	67	F	Lung	Adenocarcinoma	T3N2M0	2	IIIA	Malignant
E18	90	67	F	Lung	Adenocarcinoma	T3N2M0	2	IIIA	Malignant
F1	91	56	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F2	92	56	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F3	93	56	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
F4	94	56	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
F5	95	51	M	Lung	Adenocarcinoma	T3N1M0	2	IIIA	Malignant
F6	96	51	M	Lung	Adenocarcinoma	T3N1M0	2	IIIA	Malignant
F7	97	77	M	Lung	Invasive adenocarcinoma	T2N0M0	2	IB	Malignant
F8	98	77	M	Lung	Invasive adenocarcinoma	T2N0M0	2	IB	Malignant
F9	99	40	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F10	100	40	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F11	101	44	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F12	102	44	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
F13	103	57	F	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
F14	104	57	F	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
F15	105	55	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
F16	106	55	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
F17	107	54	M	Lung	Adenocarcinoma	T4N0M0	2	IIIA	Malignant
F18	108	54	M	Lung	Adenocarcinoma	T4N0M0	2	IIIA	Malignant
G1	109	52	M	Lung	Adenocarcinoma	T3N0M0	2	IIB	Malignant
G2	110	52	M	Lung	Adenocarcinoma	T3N0M0	2	IIB	Malignant
G3	111	54	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
G4	112	54	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
G5	113	50	F	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G6	114	50	F	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant

G7	115	67	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G8	116	67	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G9	117	65	F	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G10	118	65	F	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G11	119	50	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G12	120	50	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
G13	121	50	F	Lung	Adenocarcinoma (sparse)	T2N1M0	2	IIA	Malignant
G14	122	50	F	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
G15	123	55	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
G16	124	55	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
G17	125	69	M	Lung	Adenocarcinoma	T2N2M0	2	IIIA	Malignant
G18	126	69	M	Lung	Adenocarcinoma (sparse)	T2N2M0	2	IIIA	Malignant
H1	127	22	F	Lung	Adenocarcinoma	T2N0M0	2--3	IB	Malignant
H2	128	22	F	Lung	Adenocarcinoma	T2N0M0	2--3	IB	Malignant
H3	129	70	M	Lung	Adenocarcinoma	T2N0M0	-	IB	Malignant
H4	130	70	M	Lung	Adenocarcinoma	T2N0M0	2--3	IB	Malignant
H5	131	71	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
H6	132	71	M	Lung	Adenocarcinoma	T2N1M0	2	IIA	Malignant
H7	133	40	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H8	134	40	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H9	135	60	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H10	136	60	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H11	137	50	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H12	138	50	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H13	139	65	M	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
H14	140	65	M	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
H15	141	69	M	Lung	Adenocarcinoma	T2N1M0	-	IIA	Malignant
H16	142	69	M	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
H17	143	65	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
H18	144	65	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
I1	145	50	F	Lung	Adenocarcinoma	T2N2M0	2	IIIA	Malignant
I2	146	50	F	Lung	Adenocarcinoma	T2N2M0	2	IIIA	Malignant
I3	147	60	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
I4	148	60	M	Lung	Adenocarcinoma	T2N0M0	-	IB	Malignant
I5	149	50	M	Lung	Adenocarcinoma	T2N2M0	2	IIIA	Malignant
I6	150	50	M	Lung	Adenocarcinoma	T2N2M0	2	IIIA	Malignant
I7	151	62	F	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
I8	152	62	F	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
I9	153	58	M	Lung	Adenocarcinoma	T1N0M0	3	IA	Malignant
I10	154	58	M	Lung	Adenocarcinoma	T1N0M0	-	IA	Malignant
I11	155	60	F	Lung	Adenocarcinoma	T2N2M0	3	IIIA	Malignant
I12	156	60	F	Lung	Adenocarcinoma	T2N2M0	3	IIIA	Malignant
I13	157	52	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
I14	158	52	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
I15	159	58	M	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
I16	160	58	M	Lung	Adenocarcinoma	T2N1M0	3	IIA	Malignant
I17	161	54	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
I18	162	54	M	Lung	Adenocarcinoma	T2N0M0	3	IB	Malignant
J1	163	18	M	Lung	Adenocarcinoma	T1N0M0	3	IA	Malignant
J2	164	18	M	Lung	Adenocarcinoma	T1N0M0	3	IA	Malignant
J3	165	69	M	Lung	Mucinous adenocarcinoma	T2N1M0	1	IIA	Malignant
J4	166	69	M	Lung	Mucinous adenocarcinoma	T2N1M0	1	IIA	Malignant
J5	167	71	M	Lung	Mucinous adenocarcinoma	T2N1M0	1	IIA	Malignant
J6	168	71	M	Lung	Mucinous adenocarcinoma	T2N1M0	1	IIA	Malignant
J7	169	62	M	Lung	Mucinous adenocarcinoma	T2N0M0	2	IB	Malignant
J8	170	62	M	Lung	Mucinous adenocarcinoma	T2N0M0	2	IB	Malignant

J9	171	68	M	Lung	Mucinous adenocarcinoma	T2N0M0	2	IB	Malignant
J10	172	68	M	Lung	Mucinous adenocarcinoma	T2N0M0	2	IB	Malignant
J11	173	56	F	Lung	Invasive mucinous adenocarcinoma	T1N0M0	2	IA	Malignant
J12	174	56	F	Lung	Invasive mucinous adenocarcinoma	T1N0M0	2	IA	Malignant
J13	175	67	M	Lung	Papillary adenocarcinoma	T3N1M0	1	IIIA	Malignant
J14	176	67	M	Lung	Papillary adenocarcinoma	T3N1M0	1	IIIA	Malignant
J15	177	55	M	Lung	Invasive papillary adenocarcinoma	T2N1M0	-	IIA	Malignant
J16	178	55	M	Lung	Invasive papillary adenocarcinoma	T2N1M0	-	IIA	Malignant
J17	179	64	M	Lung	Papillary adenocarcinoma	T2N0M0	2	IB	Malignant
J18	180	64	M	Lung	Papillary adenocarcinoma	T2N0M0	2	IB	Malignant
K1	181	37	M	Lung	Papillary adenocarcinoma	T4N1M0	2	IIIA	Malignant
K2	182	37	M	Lung	Papillary adenocarcinoma	T4N1M0	2	IIIA	Malignant
K3	183	55	M	Lung	Papillary adenocarcinoma	T2N0M0	-	IB	Malignant
K4	184	55	M	Lung	Papillary adenocarcinoma	T2N0M0	-	IB	Malignant
K5	185	60	M	Lung	Invasive papillary adenocarcinoma	T2N0M0	-	IB	Malignant
K6	186	60	M	Lung	Invasive papillary adenocarcinoma	T2N0M0	-	IB	Malignant
K7	187	65	M	Lung	Invasive papillary adenocarcinoma	T2N0M0	2	IB	Malignant
K8	188	65	M	Lung	Invasive papillary adenocarcinoma	T2N0M0	2	IB	Malignant
K9	189	53	F	Lung	Invasive papillary adenocarcinoma	T2N0M0	2	IB	Malignant
K10	190	53	F	Lung	Invasive papillary adenocarcinoma	T2N0M0	2	IB	Malignant
K11	191	63	M	Lung	Adenoid cystic carcinoma	T2N1M0	-	IIA	Malignant
K12	192	63	M	Lung	Adenoid cystic carcinoma	T2N1M0	-	IIA	Malignant
K13	193	77	M	Lung	Adenoid cystic carcinoma	T1N0M0	-	IA	Malignant
K14	194	77	M	Lung	Adenoid cystic carcinoma	T1N0M0	-	IA	Malignant
K15	195	46	M	Lung	Invasive adenocarcinoma	T2N0M0	-	IB	Malignant
K16	196	46	M	Lung	Invasive adenocarcinoma	T2N0M0	-	IB	Malignant
K17	197	56	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
K18	198	56	M	Lung	Adenocarcinoma	T2N0M0	2	IB	Malignant
L1	199	57	F	Lung	Invasive adenocarcinoma	T2N1M0	2	IIA	Malignant
L2	200	57	F	Lung	Invasive adenocarcinoma	T2N1M0	2	IIA	Malignant
L3	201	66	F	Lung	Adenocarcinoma	T1N0M0	2	IA	Malignant
L4	202	66	F	Lung	Adenocarcinoma	T1N0M0	2	IA	Malignant
L5	203	57	M	Lung	Adenosquamous carcinoma	T2N0M0	-	IB	Malignant
L6	204	57	M	Lung	Adenosquamous carcinoma	T2N0M0	-	IB	Malignant
L7	205	62	M	Lung	Adenosquamous carcinoma	T2N1M0	-	IIA	Malignant
L8	206	62	M	Lung	Adenosquamous carcinoma	T2N1M0	-	IIA	Malignant
L9	207	66	M	Lung	Adenosquamous carcinoma	T1N0M0	-	IA	Malignant
L10	208	66	M	Lung	Adenosquamous carcinoma	T1N0M0	-	IA	Malignant
L11	209	63	M	Lung	Adenosquamous carcinoma	T2N0M0	-	IB	Malignant
L12	210	63	M	Lung	Adenosquamous carcinoma	T2N0M0	-	IB	Malignant
L13	211	67	M	Lung	Mucoepidermoid carcinoma	T2N2M0	-	IIIA	Malignant
L14	212	67	M	Lung	Mucoepidermoid carcinoma	T2N2M0	-	IIIA	Malignant
L15	213	60	F	Lung	Mucoepidermoid carcinoma	T2N0M0	-	IB	Malignant
L16	214	60	F	Lung	Mucoepidermoid carcinoma	T2N0M0	-	IB	Malignant
L17	215	65	M	Lung	Mucoepidermoid carcinoma	T2N2M0	-	IIIA	Malignant
L18	216	65	M	Lung	Mucoepidermoid carcinoma	T2N2M0	-	IIIA	Malignant
-	0	42	M	Adrenal gland	Pheochromocytoma (tissue marker)		-		Malignant



No.	PD-L1 (SP142)
1	-
2	-
3	-

No.	PD-L1 (SP142)
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-
13	-
14	-
15	-
16	-
17	-
18	-
19	-
20	-
21	-
22	-
23	-
24	-
25	-
26	-
27	-
28	-
29	-
30	-
31	-
32	-
33	-
34	-

No.	PD-L1 (SP142)
35	-
36	-
37	-
38	-
39	-
40	-
41	TC< 50% and IC< 10%
42	TC< 50% and IC< 10%
43	-
44	-
45	-
46	-
47	-
48	-
49	-
50	-
51	-
52	-
53	-
54	-
55	TC< 50% and IC< 10%
56	TC< 50% and IC< 10%
57	-
58	-
59	-
60	-
61	TC≥ 50%
62	TC≥ 50%
63	-
64	-
65	-

No.	PD-L1 (SP142)
66	-
67	-
68	-
69	-
70	-
71	-
72	-
73	-
74	-
75	-
76	-
77	-
78	-
79	-
80	-
81	-
82	-
83	-
84	-
85	-
86	-
87	-
88	-
89	-
90	-
91	-
92	-
93	-
94	-
95	-
96	-

No.	PD-L1 (SP142)
97	-
98	-
99	-
100	-
101	-
102	-
103	-
104	-
105	-
106	-
107	-
108	-
109	-
110	-
111	-
112	-
113	-
114	-
115	-
116	-
117	-
118	-
119	-
120	-
121	-
122	-
123	-
124	-
125	-
126	-
127	-

No.	PD-L1 (SP142)
128	-
129	-
130	-
131	-
132	-
133	TC< 50% and IC< 10%
134	TC< 50% and IC< 10%
135	TC< 50% and IC< 10%
136	TC< 50% and IC< 10%
137	-
138	-
139	-
140	-
141	-
142	-
143	TC≥ 50%
144	TC≥ 50%
145	-
146	-
147	-
148	-
149	-
150	-
151	TC< 50% and IC< 10%
152	TC< 50% and IC< 10%
153	TC< 50% and IC< 10%
154	TC< 50% and IC< 10%
155	-
156	-
157	-
158	-

No.	PD-L1 (SP142)
159	TC< 50% and IC< 10%
160	TC< 50% and IC< 10%
161	-
162	-
163	-
164	-
165	-
166	-
167	-
168	-
169	-
170	-
171	-
172	-
173	-
174	-
175	-
176	-
177	-
178	-
179	-
180	-
181	-
182	-
183	-
184	-
185	-
186	-
187	-
188	-
189	-

No.	PD-L1 (SP142)
190	-
191	-
192	-
193	-
194	-
195	-
196	-
197	-
198	-
199	-
200	-
201	-
202	-
203	-
204	-
205	TC < 50% and IC < 10%
206	TC < 50% and IC < 10%
207	-
208	-
209	TC ≥ 50%
210	TC ≥ 50%
211	-
212	-
213	-
214	-
215	-
216	-

The American Joint Committee on Cancer (AJCC) TNM system

T groups

TX: Primary tumor cannot be assessed

T0: No evidence of primary tumor

T1: A single tumor (any size) that hasn't grown into blood vessels

T2: Either a single tumor (any size) that has grown into blood vessels, OR more than one tumor where no tumor is larger than 5 cm (about 2 inches) across

T3a: Multiple tumors with at least one tumor that is greater than 5 cm (about 2 inches) across

T3b: At least one tumor (any size) that has grown into a major branch of the large veins of the liver (the portal and hepatic veins)

T4: The tumor has grown into a nearby organ (other than the gallbladder), OR the tumor is growing into the thin layer of tissue covering the liver (called the visceral peritoneum)

N groups

NX: Regional (nearby) lymph nodes cannot be assessed.

N0: The cancer has not spread to the regional lymph nodes.

N1: The cancer has spread to the regional lymph nodes.

M groups

M0: The cancer has not spread to distant lymph nodes or other organs.

M1: The cancer has spread to distant lymph nodes or other organs.

AMSBIO | www.amsbio.com | info@amsbio.com



UK & Rest of the World

184 Park Drive, Milton Park
Abingdon OX14 4SE, U.K.

T: +44 (0) 1235 828 200

F: +44 (0) 1235 820 482



North America

1035 Cambridge Street,
Cambridge, MA 02141.

T: +1 (617) 945-5033 or

T: +1 (800) 987-0985

F: +1 (617) 945-8218



Germany

Bockenheimer Landstr. 17/19
60325 Frankfurt/Main

T: +49 (0) 69 779099

F: +49 (0) 69 13376880



Switzerland

Via Lisano 3
(CP.683)

6900 Massagno

T: +41 (0) 91 604 55 22

F: +41 (0) 91 605 17 85