



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PR482a : Prostate cancer with prostate tissue array, including pathology grade, Gleason grade, Gleason score, TNM and clinical stage, 24cases/48 cores, replacing PR482

Microarray Panel	Prostate adenocarcinoma and prostate tissue microarray, containing 20 cases of prostate adenocarcinoma and 4 prostate tissues, duplicated cores per case	
Cores	48	
Cases	24	
Row number	6	
Column number	8	
Core Diameter (mm)	1.5	
Thickness (µm)	5	
Quality Control	H&E and IHC confirmed	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	<p>1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours.</p> <p>In the following specsheet, "" means invalid core; "-" means no applicable or negative in IHC markers.</p>	



Legend: Pro - Prostate
● - Malignant tumor, ● - Malignant tumor (stage II), ● - Malignant tumor (stage III), ● - Malignant tumor (stage IV), ● - Normal tissue

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Gleason Score	Gleason Grade	Image
A1	1	72	M	Prostate	Adenocarcinoma		1	II	Malignant	2+3	3	
A2	2	72	M	Prostate	Adenocarcinoma		1	II	Malignant	2+4	3	
A3	3	69	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
A4	4	69	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
A5	5	74	M	Prostate	Adenocarcinoma		2	IV	Malignant	3+4	3	
A6	6	74	M	Prostate	Adenocarcinoma		2	IV	Malignant	3+4	3	
A7	7	63	M	Prostate	Adenocarcinoma		2	III	Malignant	3+3	3	
A8	8	63	M	Prostate	Adenocarcinoma		2	III	Malignant	3+3	3	
B1	9	75	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
B2	10	75	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
B3	11	61	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
B4	12	61	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
B5	13	73	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
B6	14	73	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
B7	15	20	M	Prostate	Adenocarcinoma		2	III	Malignant	3+4	3	
B8	16	20	M	Prostate	Adenocarcinoma		2	III	Malignant	3+4	3	
C1	17	73	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
C2	18	73	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
C3	19	70	M	Prostate	Adenocarcinoma		3	II	Malignant	5+5	5	
C4	20	70	M	Prostate	Adenocarcinoma		3	II	Malignant	5+5	5	
C5	21	65	M	Prostate	Adenocarcinoma		1	II	Malignant	2+3	2	
C6	22	65	M	Prostate	Adenocarcinoma		1	II	Malignant	2+3	2	
C7	23	64	M	Prostate	Adenocarcinoma		2	III	Malignant	3+4	3	
C8	24	64	M	Prostate	Adenocarcinoma		2	III	Malignant	3+4	3	
D1	25	62	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
D2	26	62	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	
D3	27	73	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
D4	28	73	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4	
D5	29	64	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4	

D6	30	64	M	Prostate	Adenocarcinoma		3	II	Malignant	4+4	4
D7	31	65	M	Prostate	Adenocarcinoma		2	II	Malignant	3+3	3
D8	32	65	M	Prostate	Adenocarcinoma		2	II	Malignant	3+3	3
E1	33	82	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4
E2	34	82	M	Prostate	Adenocarcinoma		3	III	Malignant	4+4	4
E3	35	60	M	Prostate	Adenocarcinoma		3	IV	Malignant	4+5	4
E4	36	60	M	Prostate	Adenocarcinoma		3	IV	Malignant	4+5	4
E5	37	26	M	Prostate	Adenocarcinoma		3	II	Malignant	4+5	4
E6	38	26	M	Prostate	Adenocarcinoma		3	II	Malignant	4+5	4
E7	39	62	M	Prostate	Adenocarcinoma		3	II	Malignant	5+5	5
E8	40	62	M	Prostate	Adenocarcinoma		3	II	Malignant	5+5	5
F1	41	35	M	Prostate	Prostate tissue		-	-	Normal	-	-
F2	42	35	M	Prostate	Prostate tissue		*	-	Normal	-	-
F3	43	35	M	Prostate	Prostate tissue		-	-	Normal	-	-
F4	44	35	M	Prostate	Prostate tissue		-	-	Normal	-	-
F5	45	40	M	Prostate	Prostate tissue		-	-	Normal	-	-
F6	46	40	M	Prostate	Prostate tissue		-	-	Normal	-	-
F7	47	30	M	Prostate	Prostate tissue		-	-	Normal	-	-
F8	48	30	M	Prostate	Prostate tissue		-	-	Normal	-	-
-	0	42	M	Adrenal gland	Pheochromocytoma (tissue marker)		-		Malignant		

AMSBIO | www.amsbio.com | info@amsbio.com

AMSBIO LLC
USA & Canada 
1035 Cambridge Street,
Cambridge, MA 02141
T: +1 (617) 945-5033 or
T: +1 (800) 987-0985
F: +1 (617) 945-8218

AMSBIO Europe BV
EU 
Berenkoog 41,
1822 BH Alkmaar,
Netherlands
T: +31 (0) 72 8080244
F: +31 (0) 72 8080142

AMS Biotechnology (Europe) Ltd
UK & Rest of the World 
184 Park Drive, Milton Park
Abingdon OX14 4SE
T: +44 (0) 1235 828 200
F: +44 (0) 1235 820 482

AMS Biotechnology (Europe) Ltd
Switzerland 
Via Lisano 3,
(CP.683)
CH-6900 Massagno
T: +41 (0) 91 604 55 22
F: +41 (0) 91 605 17 85

AMSBIO Europe BV
Deutschland 
T: +49 (0) 69 779099
F: +49 (0) 69 13376880