



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

linkedin.com/company/szaboscandic



SK482 : Multiple skin cancer tissue array with 4 normal tissue control from autopsy, 24 cases/48 cores

Microarray Panel	Multiple skin squamous cell carcinoma tissue microarray, including 20 cases of skin tumor with 4 normal tissues from autopsy, duplicated cores per case	
Cores	48	
Cases	24	
Row number	6	
Column number	8	
Core Diameter (mm)	1.5	
Thickness (μm)	5	
Quality Control	Anti-Actin confirmed	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	<p>1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours.</p> <p>In the following specsheets, “**” means invalid core; “-” means no applicable or negative in IHC markers.</p>	



Legend: **Ski - Skin**
● - Malignant tumor, ● - Normal tissue

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Image
A1	1	69	M	Skin	Squamous cell carcinoma (keratosic mass) of parietal region		-		malignant	
A2	2	69	M	Skin	Squamous cell carcinoma of parietal region		1		malignant	
A3	3	42	F	Skin	Squamous cell carcinoma of heel		1		malignant	
A4	4	42	F	Skin	Squamous cell carcinoma of heel		1		malignant	
A5	5	64	F	Skin	Squamous cell carcinoma of cunnus		1		malignant	
A6	6	64	F	Skin	Squamous cell carcinoma of cunnus		1		malignant	
A7	7	70	F	Skin	Squamous cell carcinoma of cunnus		1		malignant	
A8	8	70	F	Skin	Squamous cell carcinoma of cunnus		1		malignant	
B1	9	64	M	Skin	Squamous cell carcinoma (sebaceous gland s) of thigh		-		malignant	
B2	10	64	M	Skin	Squamous cell carcinoma (sparse) of thigh		1		malignant	
B3	11	74	F	Skin	Squamous cell carcinoma of left cheek		1		malignant	
B4	12	74	F	Skin	Squamous cell carcinoma of left cheek		1		malignant	
B5	13	48	F	Skin	Squamous cell carcinoma of parietal region		2		malignant	
B6	14	48	F	Skin	Squamous cell carcinoma of parietal region		2		malignant	
B7	15	82	F	Skin	Squamous cell carcinoma of left tempus		2		malignant	
B8	16	82	F	Skin	Squamous cell carcinoma of left tempus		2		malignant	
C1	17	83	F	Skin	Squamous cell carcinoma of head		2		malignant	
C2	18	83	F	Skin	Squamous cell carcinoma of head		2		malignant	
C3	19	65	F	Skin	Squamous cell carcinoma of face		2		malignant	
C4	20	65	F	Skin	Squamous cell carcinoma of face		2		malignant	
C5	21	57	F	Skin	Basal cell carcinoma of left eyelid		-		malignant	
C6	22	57	F	Skin	Basal cell carcinoma of left eyelid		-		malignant	
C7	23	55	M	Skin	Basal cell carcinoma of head		-		malignant	
C8	24	55	M	Skin	Basal cell carcinoma of head		-		malignant	

D1	25	44	M	Skin	Basal cell carcinoma (sparse) of face	-	malignant
D2	26	44	M	Skin	Basal cell carcinoma of face	-	malignant
D3	27	71	M	Skin	Basal cell carcinoma of parietal region	-	malignant
D4	28	71	M	Skin	Basal cell carcinoma of parietal region	-	malignant
D5	29	50	M	Skin	Basal cell carcinoma of nose	-	malignant
D6	30	50	M	Skin	Basal cell carcinoma of nose	-	malignant
D7	31	36	M	Skin	Basal cell carcinoma (fibrous tissue) of ear	-	malignant
D8	32	36	M	Skin	Basal cell carcinoma (sparse) of ear	-	malignant
E1	33	50	F	Skin	Basal cell carcinoma of preauricula	-	malignant
E2	34	50	F	Skin	Basal cell carcinoma of preauricula	-	malignant
E3	35	73	F	Skin	Basal cell carcinoma of left lower eyelid	-	malignant
E4	36	73	F	Skin	Basal cell carcinoma of left lower eyelid	-	malignant
E5	37	77	M	Skin	Basal cell carcinoma of nasal ala	-	malignant
E6	38	77	M	Skin	Basal cell carcinoma of nasal ala	-	malignant
E7	39	82	F	Skin	Basal cell carcinoma of thigh	-	malignant
E8	40	82	F	Skin	Basal cell carcinoma of thigh	-	malignant
F1	41	40	M	Skin	Normal dermatic tissue	-	normal
F2	42	40	M	Skin	Normal dermatic tissue	-	normal
F3	43	35	M	Skin	Normal dermatic tissue	-	normal
F4	44	35	M	Skin	Normal dermatic tissue	-	normal
F5	45	47	M	Skin	Normal dermatic tissue of wrist	-	normal
F6	46	47	M	Skin	Normal dermatic tissue of wrist	-	normal
F7	47	25	M	Skin	Normal dermatic tissue	-	normal
F8	48	25	M	Skin	Normal dermatic tissue	-	normal

AMSBIO | www.amsbio.com | info@amsbio.com

AMSBIO LLC
 USA & Canada 
 1035 Cambridge Street,
 Cambridge, MA 02141
 T: +1 (617) 945-5033 or
 T: +1 (800) 987-0985
 F: +1 (617) 945-8218

AMSBIO Europe BV
 EU 
 Berenkoog 41,
 1822 BH Alkmaar,
 Netherlands
 T: +31 (0) 72 8080244
 F: +31 (0) 72 8080142

AMSBIO Technology (Europe) Ltd
 UK & Rest of the World 
 184 Park Drive, Milton Park
 Abingdon OX14 4SE
 T: +44 (0) 1235 828 200
 F: +44 (0) 1235 820 482

AMSBIO Technology (Europe) Ltd
 Switzerland 
 Via Lisano 3,
 (CP.683)
 CH-6900 Massagno
 T: +41 (0) 91 604 55 22
 F: +41 (0) 91 605 17 85

AMSBIO Europe BV
 Deutschland 
 T: +49 (0) 69 779099
 F: +49 (0) 69 13376880