



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SO241 : Soft tissue tumor with adjacent normal tissue array, including TNM and clinical stage, 12 cases/24 cores

Microarray Panel	Soft tissue tumor with adjacent normal tissue microarray, containing 3 cases of leiomyosarcoma, 2 each of dermatofibrosarcoma protuberans, rhabdomyosarcoma and fibrosarcoma, 1 liposarcoma, 2 adjacent normal skeletal muscle tissue, duplicated cores per case	
Cores	24	
Cases	12	
Row number	4	
Column number	6	
Core Diameter (mm)	1.5	
Thickness (µm)	5	
Quality Control	H&E and IHC confirmed	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	<p>1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C. before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours.</p> <p>In the following specsheet, "*" means invalid core; "-" means no applicable or negative in IHC markers.</p>	



Legend: Fat - Fatty tissue, Fib - Fibrous tissue, Smo - Smooth muscle, Str - Striated muscle

○ - Malignant tumor (stage IA), ○ - Malignant tumor (stage IB), ● - Malignant tumor (stage IIA), ● - Malignant tumor (stage III), ● - NAT

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Image
A1	1	88	F	Smooth muscle	Moderate malignant leiomyosarcoma of right back	T1aN0M0	G1	IA	Malignant	
A2	2	88	F	Smooth muscle	Moderate malignant leiomyosarcoma of right back	T1aN0M0	G1	IA	Malignant	
A3	3	78	M	Smooth muscle	Moderate malignant leiomyosarcoma of chest wall	T1aN0M0	G2	IIA	Malignant	
A4	4	78	M	Smooth muscle	Moderate malignant leiomyosarcoma of chest wall	T1aN0M0	G2	IIA	Malignant	
A5	5	34	M	Fibrous tissue	Dermatofibrosarcoma protuberans of left lower limb	T2aN0M0	G3	III	Malignant	
A6	6	34	M	Fibrous tissue	Dermatofibrosarcoma protuberans of left lower limb	T2aN0M0	G3	III	Malignant	
B1	7	24	F	Fibrous tissue	Moderate malignant fibrosarcoma of right arm pit	T1aN0M0	G2	IIA	Malignant	
B2	8	24	F	Fibrous tissue	Moderate malignant fibrosarcoma of right arm pit	T1aN0M0	G2	IIA	Malignant	
B3	9	39	M	Fatty tissue	Well-differentiated liposarcoma of back	T2aN0M0	G1	IB	Malignant	
B4	10	39	M	Fatty tissue	Well-differentiated liposarcoma of back	T2aN0M0	G1	IB	Malignant	

B5	11	91	M	Striated muscle	Pleomorphic rhabdomyosarcoma of right thigh	T2aN0M0 G3		III	Malignant
B6	12	91	M	Striated muscle	Pleomorphic rhabdomyosarcoma of right thigh	T2aN0M0 G3		III	Malignant
C1	13	81	M	Fibrous tissue	Mucinous fibrosarcoma of thigh	T2aN0M0 G3		III	Malignant
C2	14	81	M	Fibrous tissue	Mucinous fibrosarcoma of thigh	T2aN0M0 G3		III	Malignant
C3	15	17	F	Striated muscle	Alveolar rhabdomyosarcoma of left leg	T2aN0M0 G3		III	Malignant
C4	16	17	F	Striated muscle	Alveolar rhabdomyosarcoma of left leg	T2aN0M0 G3		III	Malignant
C5	17	20	F	Smooth muscle	Moderate malignant leiomyosarcoma of left back	T1aN0M0 G2		IIA	Malignant
C6	18	20	F	Smooth muscle	Moderate malignant leiomyosarcoma of left back	T1aN0M0 G2		IIA	Malignant
D1	19	24	F	Fibrous tissue	Dermatofibrosarcoma protuberans of right superior belly	T1aN0M0 G1		IA	Malignant
D2	20	24	F	Fibrous tissue	Dermatofibrosarcoma protuberans of right superior belly	T1aN0M0 G1		IA	Malignant
D3	21	56	M	Striated muscle	Adjacent normal skeletal muscle tissue	-		-	NAT
D4	22	56	M	Striated muscle	Adjacent normal skeletal muscle tissue	-		-	NAT
D5	23	48	F	Striated muscle	Adjacent normal skeletal muscle tissue	-		-	NAT
D6	24	48	F	Striated muscle	Adjacent normal skeletal muscle tissue	-		-	NAT

AMSBIO | www.amsbio.com | info@amsbio.com

UK & Rest of the World 
 184 Park Drive, Milton Park
 Abingdon OX14 4SE.
 T: +44 (0) 1235 828 200
 F: +44 (0) 1235 820 482

North America 
 1035 Cambridge Street,
 Cambridge, MA 02141.
 T: +1 (617) 945-5033 or
 T: +1 (800) 987-0985
 F: +1 (617) 945-8218

Europe 
 Berenkoog 41,
 1822 BH Alkmaar,
 Netherlands
 T: +31 (0)72 8080244
 F: +31 (0)72 8080142

Switzerland 
 Via Lisano 3,
 (CP.683)
 CH-6900
 T: +41 (0) 91 604 55 22
 F: +41 (0) 91 605 17 85

Germany 
 Bockenheimer Landstr. 17/19
 60325 Frankfurt/Main
 T: +49 (0) 69 779099
 F: +49 (0) 69 13376880