



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7


[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

**T195d** : Prostate cancer test tissue array, including TNM, Gleason score and pathology grade, 12 cases/24 cores, replaced by T195e

Microarray Panel	Prostate adenocarcinoma test tissue microarray, including 9 cases of adenocarcinoma and 1 leiomyosarcoma, plus 2 normal prostate tissue, duplicate cores per case, divided into two identical 12 core arrays for testing different antibody dilutions	
Cores	24	
Cases	12	
Row number	3	
Column number	8	
Core Diameter (mm)	1.5	
Thickness (µm)	5	
Quality Control	H&E and IHC confirmed	
Tissue Array Type	FFPE	
Species	Human	
Applications	Routine histology procedures including Immunohistochemistry (IHC) and In Situ Hybridization (ISH), protocols which can be found at our support page.	
Notes	<p>1. TMA slides were sectioned and stored at 4°C and may not be fresh cut, but still suitable for IHC. Please request fresh cut if experiment involves phospho-specific antibodies, RNA studies, FISH or ISH, etc. A minimum of 3 slides per TMA must be purchased to cover the cost of trimming for fresh sectioning. 2. Most TMA slides were not coated with an extra layer of paraffin (tissue cores can be easily seen on the glass). <b>To prevent tissue detachment during antigen retrieval, unbaked slides must be baked for at least 30 to 120 minutes at 60°C.</b> before putting into xylene for de-paraffinization. Baked slides were sent out baked for 2 hours.</p> <p>In the following specsheet, "" means invalid core; "-" means no applicable or negative in IHC markers.</p>	



**Legend:**  
● - Prostate  
● - Malignant tumor, ● - Normal tissue

, tissue IDs are available in exported Excel files.

Pos.	No.	Age	Sex	Organ/Anatomic Site	Pathology diagnosis	TNM	Grade	Stage	Type	Image
A1	1	57	M	Prostate	Adenocarcinoma	T1N0M0			Malignant	
A2	2	68	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
A3	3	70	M	Prostate	Adenocarcinoma	T3N0M0			Malignant	
A4	4	65	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
A5	5	57	M	Prostate	Adenocarcinoma	T1N0M0			Malignant	
A6	6	68	M	Prostate	Adenocarcinoma (smooth muscle tissue)	T2N0M0			Malignant	
A7	7	70	M	Prostate	Adenocarcinoma	T3N0M0			Malignant	
A8	8	65	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
B1	9	73	M	Prostate	Adenocarcinoma	T1N0M0			Malignant	
B2	10	64	M	Prostate	Adenocarcinoma	T3N0M0			Malignant	
B3	11	66	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
B4	12	76	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
B5	13	73	M	Prostate	Adenocarcinoma	T1N0M0			Malignant	
B6	14	64	M	Prostate	Adenocarcinoma	T3N0M0			Malignant	
B7	15	66	M	Prostate	Adenocarcinoma	T2N0M0			Malignant	
B8	16	76	M	Prostate	Adenocarcinoma (fibrous tissue)	T2N0M0			Malignant	
C1	17	66	M	Prostate	Adenocarcinoma	T3AN0M0			Malignant	
C2	18	69	M	Prostate	Low grade malignant leiomyosarcoma	T1N0M0 G1			Malignant	
C3	19	22	M	Prostate	Prostate tissue	-			Normal	
C4	20	43	M	Prostate	Prostate tissue	-			Normal	
C5	21	66	M	Prostate	Adenocarcinoma	T3AN0M0			Malignant	
C6	22	69	M	Prostate	Low grade malignant leiomyosarcoma	T1N0M0 G1			Malignant	
C7	23	22	M	Prostate	Prostate tissue	-			Normal	
C8	24	43	M	Prostate	Prostate tissue	-			Normal	
-	0	42	M	Adrenal gland	Pheochromocytoma (tissue marker)		-		Malignant	

AMS BIO | [www.amsbio.com](http://www.amsbio.com) | [info@amsbio.com](mailto:info@amsbio.com)

**AMS BIO LLC**  
USA & Canada  
1035 Cambridge Street,  
Cambridge, MA 02141  
T: +1 (617) 945-5033 or  
T: +1 (800) 987-0985  
F: +1 (617) 945-8218

**AMS BIO Europe BV**  
EU  
Berenkoeg 41,  
1822 BH Alkmaar,  
Netherlands  
T: +31 (0) 72 8080244  
F: +31 (0) 72 8080142

**AMS Biotechnology (Europe) Ltd**  
UK & Rest of the World  
184 Park Drive, Milton Park  
Abingdon, OX14 4SE  
T: +44 (0) 1235 828 200  
F: +44 (0) 1235 820 482

**AMS Biotechnology (Europe) Ltd**  
Switzerland  
Via Lisano 3,  
(CP 683)  
CH-6900 Massagno  
T: +41 (0) 91 604 55 22  
F: +41 (0) 91 605 17 85

**AMS BIO Europe BV**  
Deutschland  
T: +49 (0) 69 7790999  
F: +49 (0) 69 13376880