



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0


F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP54776_P050-FITC
Product Page	www.avivasysbio.com/ldha-antibody-n-terminal-region-fitc-arp54776-p050-fitc.html
Name	LDHA Antibody - N-terminal region : FITC (ARP54776_P050-FITC)
Protein Size (# AA)	332 amino acids
Molecular Weight	37kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	3939
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	lactate dehydrogenase A
Alias Symbols	LDHM, GSD11, PIG19, HEL-S-133P
Peptide Sequence	Synthetic peptide located within the following region: ATLKDQLIYNLLKKEEQTPQNKITVVVGVGAVGMACAISILMKDLADELALV
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Reference	Listerman,I., PLoS Genet. 3 (11), E212 (2007)
Description of Target	The protein encoded by this gene catalyzes the conversion of L-lactate and NAD to pyruvate and NADH in the final step of anaerobic glycolysis. The protein is found predominantly in muscle tissue and belongs to the lactate dehydrogenase family. Mutations in this gene have been linked to exertional myoglobinuria. Multiple transcript variants encoding different isoforms have been found for this gene. The human genome contains several non-transcribed pseudogenes of this gene.
Protein Interactions	MAPK10; LDHB; FUS; HUWE1; ISG15; UBC; SUMO2; SUMO3; STAU1; RPA3; RPA2; RPA1; ASB9; RNF2; CNBP2; NAGK; C11orf58; NDRG1; BZW1; KYNU; TCEA1; SORD; SMS; RPS6KA1; PGD; PAFAH1B3; GSR; PDIA3; GNAI3; DLD; CSE1L; LDHAL6B; FTO; BCCIP; XRN1; FBXO6; UPF2; YWHAQ; METT
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-LDHA (ARP54776_P050-FITC) antibody
Additional Information	IHC Information: Paraffin embedded liver tissue, tested with an antibody dilution of 2.5 ug/ml.
Blocking Peptide	For anti-LDHA (ARP54776_P050-FITC) antibody is Catalog # AAP54776 (Previous Catalog # AAPP31571)
Immunogen	The immunogen is a synthetic peptide directed towards the N terminal region of human LDHA
Uniprot ID	P00338
Protein Name	L-lactate dehydrogenase A chain
Protein Accession #	NP_005557
Purification	Affinity Purified
Nucleotide Accession #	NM_005566
Gene Symbol	LDHA
Predicted Species Reactivity	Human, Mouse, Rat, Cow, Dog, Goat, Guinea Pig, Horse, Rabbit, Sheep
Application	IHC, WB

Predicted Homology Based on Immunogen Sequence	Cow: 86%; Dog: 86%; Goat: 86%; Guinea Pig: 93%; Horse: 86%; Human: 100%; Mouse: 100%; Rabbit: 92%; Rat: 93%; Sheep: 86%
Image 1	

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.

Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com